



ELECTRONIC TIME COUNTER DC 12-150V,  
24-240V, 50HZ

Similar to image

**Technical data:**

<b>Type of the driving mechanism</b>		others
<b>type of voltage</b>		AC/DC
<b>Input voltage</b>	V	240
<b>Type of mounting</b>		DIN rail
<b>Mounting depth</b>	mm	64
<b>Number of pitch units for width</b>		2
<b>Electrical input frequency</b>		
• minimum	Hz	60
• maximum	Hz	60
<b>Protection class IP</b>		IP20
<b>Height</b>	mm	90
<b>Width</b>	mm	36
<b>Number of characters that can be displayed</b>		7
<b>Width / of the front plate</b>	mm	36
<b>Height / of the front plate</b>	mm	45
<b>Time duration measured quantity</b>	h	99,999.99
<b>Manner of function / of the operating hours meter</b>		digital
<b>Reset function</b>		no

## Certificates/approvals:

General Product Approval

Declaration of Conformity



GOST

UL

EG-Konf.

## Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WW/view/en/7KT5821/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7KT5821](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5821)

CAX-Online-Generator

<http://www.siemens.com/cax>



last change:

Jul 1, 2013