

PRESENCE AND MOTION DETECTORS BASIC

Home | Indoor automation | Presence and motion detectors | BASIC | Motion detectors / Ceiling mounting / ON/OFF



MD 360/24 BASIC

Item number EB10430848



The BASIC presence and motion detectors offer a simply entry route into demand-driven building automation for intelligent light control. They are particularly suitable for cost-sensitive projects or areas of the building where simple functionality is sufficient — and due to the high-quality PIR and light sensors from ESYLUX still provide quality, energy efficiency and comfort.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Installation type	Surface mounting
Installation position	Ceiling
Protection type	IP40
Dimensions	Height/Depth 53 mm, Ø 101 mm
Power consumption	0.2 W
Detection angle	360°
Detection range diagonally	Ø 24 m
Field of detection	up to 453 m²
Light measurement	mixed light
Level of brightness	5 - 1000 lx
Warranty	5 years

ACCESSORIES



BASKET GUARD ROUND LARGE

Item number EM10425608



MOUNTING SET IP20 FM 62 WH



CATALOGUE 2020/2021



CONTACT US

☐ Miss ☐ Mister

- ☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- ☐ I have read and agree to the [privacy policy](#) *

* Required



NEWSLETTER

MILAR PRODUCTS

OTHER PRODUCTS

ALMA
WALL AND CEILING LIGHTS





FLAT MINI
BRIGHTNESS CONTROLLER



STELLA
RECESSED LIGHTS



PROTECTOR
SMOKE ALARM



PRANA+
PENDANT LIGHTS



DIN RAIL
INTERFACES



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Service

Media centre

Planning & project support

Name concept

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
General terms and conditions |
Guarantee |
Disclaimer |
Contact
© 2020 ESYLUX GmbH

