PRESENCE AND MOTION **DETECTORS**



ndcor automation | Presence and motion detectors | BASIC | Motion detectors / Ceiling mounting / ON/OFF



MD 360i/24 BASIC SMB

Item number EB10430909





Offers special product features like

- + Zero-cross switching
- + Simple parameterisation, remote control and documentation with ESY-Pen and ESY-App



Device category	Ceiling-mounted motion detector
Product information	Please note the Explanation of circuit breaker in the download area of the product!
Installation type	Surface mounting
Installation position	Ceiling
Protection type	IP40
Dimensions	Height/Depth 73 mm, Ø 101 mm
Detection angle	360°
Detection range diagonally	Ø 24 m
Field of detection	up to 453 m²
In-rush current	78 A/5 ms
Permissible ambient temperature	0 °C+50 °C
Warranty	5 years

ACCESSORIES



BASIC 24 LENS MASK

Item number EB10423109 Spare part Lens mask 24/32 m





MOUNTING



BASIC SPACER WH

Item number EB10423130 Spacer for BASIC series, white





PROTECTION



BASKET GUARD ROUND LARGE

Item number EM10425608

Basket guard for presence and motion detectors and smoke detectors, \varnothing 180 mm, height 90 mm,





REMOTE CONTROL



ESY-Pen

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management








REMOTE CONTROL MDi/PDi

Item number EM10425509

IR remote control for presence detectors and motion detectors











SIMILAR PRODUCTS

OTHER PRODUCTS





Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Links control with DALLO

LIGHT CONTROL WITH DALI-2 Service	
Downloads	
Knowledge	
Support	
ESYLUX Services Company	
Vision and mission	
Experience and quality	
Corporate responsibility	
Research and development	
Cooperations and memberships	
Awards and prizes	
References Highlights	
ESYLUX Light Control	
DEFENSOR	
COMPACT	
ESY-Pen	
ALVA	
FLAT	
ISABELLE	
Imprint Privacy policy Privacy settings General terms and conditions Guarantee Disclaimer	
Contact © 2021 ESYLUX GmbH	Ø f ■ in ¼