



SPDS TYPE 2

DG MOD 385



Dimension drawing DG MOD varistor-based protection module

Basic circuit diagram DG MOD varistor-based protection module

DG MOD ...: Varistor-based protection module for DEHNgard M ... and DEHNgard S ... surge arresters

- High discharge capacity due to powerful zinc oxide varistors/spark gaps
- High reliability due to "Thermo Dynamic Control" SPD monitoring device
- Energy coordination within the Red/Line product family
- Operating state/fault indication by mark in the inspection window
- Easy replacement of protection modules without tools by module locking system with release button
- The plug-in protection module can be replaced without disconnection of the mains voltage und without removing the cover plate of the distribution board.
- Tested for vibration- and shock-proofness according to EN 60068-2

DG MOD 385	
Nominal discharge current (8/20 μs) [I <sub>n</sub> ]	20 kA
Max. discharge current (8/20 μs) [I <sub>max</sub> ]	40 kA
Max. continuous operating a.c. voltage [U <sub>C</sub> ]	385 V
Max. continuous operating d.c. voltage [U <sub>C</sub> ]	500 V

Ordering information	
Type	DG MOD 385
Part No.	952 014
Packing unit	1 pce

We reserve the right to modify design, technology, dimensions, weights and materials according to technical progress. Illustrations are non-binding. Pictures may differ from the modules described.