

**KT 8****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Cutting tools for conductors up to 8 mm, 12 mm, 14 mm and 22 mm outside diameter. The special blade geometry allows pinch-free cutting of copper and aluminium conductors with minimum physical effort. The cutting tools also come with VDE and GS-tested protective insulation up to 1,000 V in accordance with EN/IEC 60900.

**General ordering data**

Version	Cutting tools, Cutting tool for one-hand operation
Order No.	<a href="#">9002650000</a>
Type	KT 8
GTIN (EAN)	4008190020163
Qty.	1 pc(s).

Creation date July 23, 2021 3:16:42 PM CEST

Catalogue status 23.07.2021 / We reserve the right to make technical changes.

## KT 8

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	30 mm	Depth (inches)	1.181 °C
Height	65.5 mm	Height (inches)	2.579 °C
Width	185 mm	Width (inches)	7.283 °C
Weight	180 g	Net weight	220 g

## Environmental Product Compliance

REACH SVHC Lead 7439-92-1

## Technical data

Description of article	Cutting tool for up to 8 mm outside diameter	Version	One-hand mechanical
------------------------	--	---------	---------------------

## Cutting tools

Copper cable - flexible, max.	16 Nm	Copper cable - flexible, max. (AWG)	6 AWG
Copper cable - solid, max.	16 Nm	Copper cable - solid, max. (AWG)	6 AWG
Copper cable - stranded, max.	16 Nm	Copper cable - stranded, max. (AWG)	6 AWG
Copper cable, max. diameter	8 mm	Data / telephone / control cable, max. Ø	8 mm
Single-core aluminium cable, max.(mm <sup>2</sup> )	16 Nm	Stranded aluminium cable, max (mm <sup>2</sup> )	16 Nm
Stranded aluminium cable, max. (AWG)	6 AWG	Stranded aluminium cable, max. diameter	8 mm

## Classifications

ETIM 6.0	EC000142	ETIM 7.0	EC000142
ETIM 8.0	EC000142	ECLASS 9.0	21-04-47-01
ECLASS 9.1	21-04-37-06	ECLASS 10.0	21-04-47-01
ECLASS 11.0	21-04-47-01		

## Approvals

Approvals



## Downloads

Approval/Certificate/Document of Conformity	<a href="#">Manufacturer's Declaration - Cable cutters</a>
Engineering Data	<a href="#">STEP</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	




**KT 8**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

-  max. 8 mm
-  max. 16 mm<sup>2</sup>
-  max. 16 mm<sup>2</sup>
-  max. 16 mm<sup>2</sup>

