


Coupling 16 × 16

Item # 070106016_blk



Technical Drawing Dimensions

Plasson Australia Code	Product Code	d [mm]	H [mm]	E [mm]	I [mm]	Unit Per Bag	Unit Per Carton	Weight [g]
7010001	070106016_blk	16	105	39	50	10	400	52

Product Specifications

Product Features

Product Code	070106016_blk	Split Ring Material	Polyacetal
Product Name	Coupling 16 × 16	Seal Material	NBR
Nominal Diameter Mains [mm]	16	Nut Material	Polypropylene, high-grade copolymer.
Weight [g]	52	Unit Per Bag	10
Body Material	Polypropylene, high-grade copolymer.	Unit Per Carton	400
Product Components	2 Split Rings, 2 Inserts, 2 seals, 2 Nuts	Pressure Rating Water	PN 16

Product Specifications

Product Features

Standards

ISO 17885, AS/NZS 4129, ISO 7/1, BS 21, DIN 2999, UNI 9561, NEN 3258, AS 1722, DIN 8076

Chemical Resistance

Polyacetal split rings and NBR o-rings, suitable for water, are supplied as standard. CPVC split rings and EPDM or FPM o-rings and seals are available. For aggressive chemical applications, the end user is advised to test suitability.

Operating Temperatures

Maximum temperature of use for fittings and valves is the same as that for polyethylene pipe and they are not intended for use in hot water applications. They will withstand sub-zero temperatures.