



# CorePro LEDcapsule LV



# CorePro LEDcapsuleLV 1-10W G4 827micro

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

#### **Product data**

General Information	
Cap-Base	G4
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	100 lm
Color Designation	Warm White (WW)
Luminous Efficacy (rated) (Nom)	100 lm/W
Correlated Color Temperature (Nom)	2700 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4

Photobiological safety according to EN 62471	RG0	
Operating and Electrical		
Input Frequency	- Hz	
Power Consumption	1 W	
Lamp Current (Nom)	135 mA	
Wattage Equivalent	10 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.5	
Voltage (Nom)	ac electronic 12 V	
Temperature		
Ambient temperature range	-20 to +45 °C	
T-Case Maximum (Nom)	62 °C	
Controls and Dimming		
Dimmable	No	


Datasheet, 2024, March 22 data subject to change

# CorePro LEDcapsule LV

Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Clear Plastic
Bulb Shape	Capsule
Approval and Application	
Energy Efficiency Class	F
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	1 kWh
EPREL Registration Number	1879165
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Application Conditions	
can it be used in closed luminaires	No


Product Data	
Order product name	CorePro LEDcapsuleLV 1-10W G4
	827micro
Full product name	CorePro LEDcapsuleLV 1-10W G4
	827micro
Full product code	872016930043900
Order code	30043900
Material Nr. (12NC)	929003778902
Net Weight (Piece)	0.002 kg
EAN/UPC - Product/Case	8720169300439
Numerator - Packs per outer box	12
EAN/UPC - Case	8720169300446

## Dimensional drawing




Product	D	С
CorePro LEDcapsuleLV 1-10W G4 827micro	10 mm	30 mm

### Photometric data




General uniform lighting - CorePro LEDcapsuleLV 1-10W G4 827micro



Spectral Power Distribution Colour - CorePro LEDcapsuleLV 1-10W G4 827micro


## CorePro LEDcapsule LV


#### Photometric data



Light Distribution Diagram - CorePro LEDcapsuleLV 1-10W G4 827micro

#### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDcapsuleLV 1-10W G4 827micro



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.