Reolink

Reolink Lumus

Spotlight 2560p WiFi Security Camera; Brighten up Your Surroundings and Deter Criminals

- · 2560p Full HD
- · Motion Spotlight
- · Two-Way Audio

Specifications

| Video & Audio | |
|-----------------------|---------------------------------------------------------------------------------------------------------------|
| Image Sensor | 1/2.7" CMOS Sensor |
| Resolution | 2560 x 1440 (4.0 Megapixels) @15fps |
| Lens | f=2.8mm, F=2, with IR Cut |
| Video Compression | H.264 |
| Field of View | Horizontal: 107° Vertical: 57° Diagonal: 129° |
| Infrared Night Vision | Up to 10m (33ft) (LED: 6pcs/0.8W/ 850nm) (Auto-switching with IR-cut filter) |
| Color Night Vision | With spotlights: 2pcs/1.6W/6500K |
| Frame Rate | Main stream: 2fps - 15fps (default: 15fps) Sub stream: 4fps - 15fps (default: 10fps) |
| Code Rate | Main stream: 1024Kbps - 3072Kbps (default: 3072Kbps) Sub stream: 64Kbps - 512Kbps (default: 256Kbps) |
| Audio | Two-way audio |

| Power Requirements | | |
|--------------------------|-------------------------------------------------------------------------------------------------|--|
| Power Requirements | DC 5.0V圖1A, <5W | |
| Interface | | |
| Power Port | DC power port | |
| SD Card Slot | Supports Max. 256GB microSD card | |
| Reset Button | YES | |
| Audio In/Out | Built-in microphone and speaker | |
| Wi-Fi | | |
| Wireless Standard | IEEE 802.11 a/b/g/n | |
| Operating Frequency | 2.4GHz/5GHz | |
| Wireless Security | WPA/WPA2 | |
| Software | | |
| Browsers Supported | No | |
| OS Supported | PC: Windows, Mac OS; Smartphone: iOS, Android | |
| Protocols & Standards | SSL, TCP/IP, UDP, UPNP, SMTP, NTP, DHCP, DNS, DDNS, P2P | |
| User Access | Max.20 users (1 admin & 19 users); Max. 12 simultaneous streams (2 main & 10 sub streams) | |
| Other Feature(s) | | |
| Smart Alarm | Motion detection; person detection; vehicle detection; animal detection | |
| Recording Modes | Motion-triggered recording (default); Scheduled recording; 24/7 recording | |
| Time Lapse | YES | |
| Smart Home Compatibility | Google Assistant; Alexa | |
| Working Environment | | |
| Temperature | Operating Temperature: -10°C ~ 55°C | |
| Humidity | Operating Humidity: 20% ~ 85% | |

| Waterproof | IP65 | |
|------------------|-----------------------------------------------------------------------------------|--|
| Mechanical | | |
| Dimensions | 99 x 91 x 60mm | |
| Weight | 168g | |
| Warranty | | |
| Limited Warranty | 2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ | |

Gallery & Specs



- 1. Status LED
- 2. Spotlight
- 3. Lens
- 4. Daylight Sensor
- 5. IR LEDs
- 6. Built-in Mic



- 1. Speaker
- 2. Bracket
- 3. Reset Button
- 4. microSD Card Slot

www.reolink.com