## **Product Environmental Profile**

# Exxact, Switch, complete product, 1-pole 2-way, electromechanical, 16A, screwless terminals, white

#### **Representative of all Exxact Switches**








Gene	ral information
Reference product	Exxact, Switch, complete product, 1-pole 2-way, electromechanical, 16A, screwless terminals, white - WDE002021
Description of the product	Exxact Two-way switch is a product to give the control for a lighting circuit in an electricity network. This product is provided with a white module rocker.
Description of the range	The products of the range are: The indicators values of the Exxact Switch can be extrapolated for all other Exxact Switches: one- way, two-way, two-way with neutral and double-one way switches also card and roller blind pushbutton switches with and without indication or location lamp. It contains 16A switches with or without plastic/metal fixing frames and one or two rockers with plastic claves. Switches have screw or screwless connection type. The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology.
Functional unit	Establish, support and interrupt the rated current 16A (I) and rated voltage 250V (U), and, if applicable, the specific specifications, for a wall-mounted or enclosure / cabinet installation, according to the appropriate use scenario, and for the reference service life of the product of 20 years. The application area is for Household/Commercial.
Specifications are:	In = 16 A U = 250 V IP20 IP44 Low voltage (AC)

## Constituent materials



Details of ROHS and REACH substances information are available on the Schneider-Electric website <a href="https://www.se.com">https://www.se.com</a>

### **(J)** Additional environmental information

37%

#### End Of Life

Recyclability potential:

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

### $\mathcal{O}$ Environmental impacts

Reference service life time	20 years									
Product category	Switches - Wall-mounted									
Life cycle of the product	The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study									
Electricity consumtion	The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligable consumption									
Installation elements	The products do not require special installation procedure and requires little to no energy to install. The disposal of the packaging materials are accounted during the installation phase (including transport to disposal).									
Use scenario	Load rate = 10% I (In = 16A) Use rate = 30% RLT (RLT = 20 years)									
Time representativeness	The collected data are representative of the year 2024									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and Representative of the actual type of technologies used to make the product.									
Final assembly site	Ringsted (Denmark)									
Geographical representativeness	Europe									
Energy model used	[A1 - A3][A5][B6][C1 - C4]Electricity Mix; Low voltage; 2020; Denmark, DKElectricity Mix; Low voltage; 2020; Sweden, SEElectricity Mix; Low voltage; 2020; Sweden, SEElectricity Mix; Low voltage; 2020; Sweden, SE									

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Mandatory Indicators		Exxact, Switch,	complete product,	1-pole 2-way, e	lectromechanica	al, 16A, screwless	terminals, white	- WDE002021
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	8.45E-01	5.36E-01	5.37E-02	1.43E-02	8.75E-03	2.32E-01	-2.76E-02
Contribution to climate change-fossil	kg CO2 eq	8.57E-01	5.50E-01	5.37E-02	1.37E-02	8.66E-03	2.32E-01	-2.70E-02
Contribution to climate change-biogenic	kg CO2 eq	-1.26E-02	-1.39E-02	0*	0*	0*	0*	-6.27E-04
Contribution to climate change-land use and land use change	kg CO2 eq	1.28E-08	2.27E-09	0*	0*	0*	1.06E-08	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	1.70E-08	1.60E-08	8.20E-11	1.64E-10	2.66E-10	4.76E-10	-5.60E-09
Contribution to acidification	mol H+ eq	3.68E-03	2.65E-03	3.48E-04	3.81E-05	1.49E-04	4.91E-04	-6.04E-04
Contribution to eutrophication, freshwater	kg (PO4)³⁻ eq	3.13E-05	1.06E-05	2.01E-08	2.92E-07	3.97E-07	2.00E-05	-4.62E-08
Contribution to eutrophication marine	kg N eq	7.62E-04	4.49E-04	1.63E-04	1.60E-05	1.57E-05	1.19E-04	-1.92E-05
Contribution to eutrophication, terrestrial	mol N eq	8.49E-03	4.68E-03	1.79E-03	1.14E-04	5.51E-04	1.35E-03	-2.23E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	2.39E-03	1.47E-03	4.61E-04	2.61E-05	3.68E-05	3.93E-04	-1.03E-04
Contribution to resource use, minerals and metals	kg Sb eq	1.49E-04	1.48E-04	0*	0*	4.63E-08	6.11E-07	-1.01E-05
Contribution to resource use, fossils	MJ	2.78E+01	1.87E+01	7.47E-01	1.29E-01	1.60E+00	6.64E+00	-5.67E-01
Contribution to water use	m3 eq	2.57E-01	1.88E-01	2.03E-04	1.12E-03	5.58E-03	6.19E-02	-3.27E-02

Inventory flows Indicators		Exxact, Switch,	complete product	, 1-pole 2-way, e	lectromechanic	al, 16A, screwless	terminals, white	e - WDE002021
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.35E+00	1.97E-01	9.96E-04	1.72E-02	1.12E+00	1.55E-02	-1.60E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	3.18E-01	3.18E-01	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	1.67E+00	5.16E-01	9.96E-04	1.72E-02	1.12E+00	1.55E-02	-1.60E-02
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.58E+01	1.66E+01	7.47E-01	1.29E-01	1.60E+00	6.64E+00	-5.67E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	2.09E+00	2.09E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	2.78E+01	1.87E+01	7.47E-01	1.29E-01	1.60E+00	6.64E+00	-5.67E-01
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	5.99E-03	4.39E-03	4.73E-06	2.61E-05	1.32E-04	1.44E-03	-7.60E-04
Contribution to hazardous waste disposed	kg	9.40E-01	9.35E-01	0*	3.11E-04	4.43E-03	0*	-8.42E-01
Contribution to non hazardous waste disposed	kg	3.64E-01	2.86E-01	1.88E-03	6.25E-03	1.00E-02	6.04E-02	-1.61E-02
Contribution to radioactive waste disposed	kg	1.84E-04	1.79E-04	1.34E-06	7.18E-07	6.42E-07	2.32E-06	-7.59E-06
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	3.93E-02	5.69E-03	0*	5.58E-04	0*	3.31E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	8.79E-04	4.99E-05	0*	5.02E-04	0*	3.27E-04	0.00E+00
* represents less than 0.01% of the total life cycle of the reference	e flow							

Contribution to biogenic carbon content of the product	kg of C	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg of C	3.23E-03

\* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators		Exxact, Switch, o	complete	product, 1-pol	e 2-way, el	lectrome	chanical	, 16A, screwles	s terminals, white - WDE002
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	8.75E-03	0*	0*	0*	0*	0*	8.75E-03	0*
Contribution to climate change-fossil	kg CO2 eq	8.66E-03	0*	0*	0*	0*	0*	8.66E-03	0*
Contribution to climate change-biogenic	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	2.66E-10	0*	0*	0*	0*	0*	2.66E-10	0*
Contribution to acidification	mol H+ eq	1.49E-04	0*	0*	0*	0*	0*	1.49E-04	0*
Contribution to eutrophication, freshwater	kg (PO4)³⁻ eq	3.97E-07	0*	0*	0*	0*	0*	3.97E-07	0*
Contribution to eutrophication marine	kg N eq	1.57E-05	0*	0*	0*	0*	0*	1.57E-05	0*
Contribution to eutrophication, terrestrial	mol N eq	5.51E-04	0*	0*	0*	0*	0*	5.51E-04	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.68E-05	0*	0*	0*	0*	0*	3.68E-05	0*
Contribution to resource use, minerals and metals	kg Sb eq	4.63E-08	0*	0*	0*	0*	0*	4.63E-08	0*
Contribution to resource use, fossils	MJ	1.60E+00	0*	0*	0*	0*	0*	1.60E+00	0*
Contribution to water use	m3 eq	5.58E-03	0*	0*	0*	0*	0*	5.58E-03	0*

Inventory flows Indicators		Exxact, Switch, o	complete	product, 1-po	le 2-way, o	electrome	echanical	, 16A, screwles	s terminals, white -	WDE002
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.12E+00	0*	0*	0*	0*	0*	1.12E+00	0*	
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of renewable primary energy resources	MJ	1.12E+00	0*	0*	0*	0*	0*	1.12E+00	0*	
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.60E+00	0*	0*	0*	0*	0*	1.60E+00	0*	
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of non-renewable primary energy resources	MJ	1.60E+00	0*	0*	0*	0*	0*	1.60E+00	0*	
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to net use of freshwater	m³	1.32E-04	0*	0*	0*	0*	0*	1.32E-04	0*	
Contribution to hazardous waste disposed	kg	4.43E-03	0*	0*	0*	0*	0*	4.43E-03	0*	
Contribution to non hazardous waste disposed	kg	1.00E-02	0*	0*	0*	0*	0*	1.00E-02	0*	
Contribution to radioactive waste disposed	kg	6.42E-07	0*	0*	0*	0*	0*	6.42E-07	0*	
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
* represents less than $0.01\%$ of the total life cycle of the	roforonoo f	0.00								

\* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.2, database version 2024-01 in compliance with ISO14044, EF3,1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01339-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06							
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08							
Verifier accreditation N°	VH48	Information and reference documents	www.pep-ecopassport.org							
Date of issue	12-2024	Validity period	5 years							
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006										
Internal	Internal External X									
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)										
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022										
The components of the present PEP may not be compared with components from any other program.										
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"										

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

SCHN-01339-V01.01-EN

Published by Schneider Electric

#### $\textcircled{\sc c}2024$ - Schneider Electric – All rights reserved

12-2024