



12TKLEJ125
12KV 125A 3"DIN BROWN RESIN SEAL FUSE

[Overview](#)

[Specifications](#)

[Resources](#)



[Delivery program](#)

[Technical data ETIM7.0](#)

DELIVERY PROGRAM

Product range
Fuse

Basic function
Fuse-link

Field of application
medium voltage

Rated current [I]
125 A

Rated voltage
AC 12 kV

Construction size
3"

Size
76 x 292 mm

Utilization category
back-up

Status indicator
with striker

Breaking Capacity
63 kA

usable for size/applications
transformer protection
indoor or outdoor use

Standard/Approval
DIN

Standards/Regulations
DIN 43625
VDE 0670-4
VDE 0670-402
IEC 60282-1

TECHNICAL DATA ETIM 7.0

Circuit breakers and fuses (EG000020) / Medium-/high voltage fuse (EC003507)

Rated current
125 A

Rated voltage
12 kV

Voltage type
AC

Rated frequency
50 - 50 Hz

Breaking capacity
63 kA

Utilization category

Other

Application
Primary side transformer protection

Length
292 mm

Diameter
76 mm

Performance category according to IEC 60282-1
Back-up

With striker
Yes

Standard
DIN

Release characteristic
Other

Installation technique
Air





[Imprint](#) | [Privacy Policy](#) | [Legal Disclaimer](#) | [Terms and Conditions](#)
© 2021 by Eaton Industries GmbH