

Smart Dupline® Control for AC Rollerblind Motor Type SH2ROAC224

CARLO GAVAZZI



- Up/down control for two AC rollerblind motors
- DC power supply
- Relay load 5A
- 2 DIN housing
- LED indication for power supply, Dupline® bus, motor up, motor down
- Connection to other cabinet modules via local bus

Product Description

This is a 2-DIN relay output module to control AC rollerblind motors. It has been developed to be connected to and controlled by the smart-house system controllers. The rollerblind motor is driven by two relays in series:

one to switch the motor ON/OFF and the second one to control the direction UP/DOWN. These two relays are controlled in such a way to respect the motor timing before any reversing of the motor direction.

Ordering Key

SH 2 RO AC 2 24

smart-house _____
 2-DIN housing _____
 Rollerblind function _____
 AC motor _____
 Outputs number _____
 Power supply _____

Type Selection

Housing	Mounting	Relay load	Relay output	Supply: 15 to 30 VDC
2 DIN	DIN-rail	5A	2 SPST + 2 SPDT relay	SH2ROAC224

Output Specifications

Relay output	2 SPST (R1, R2) + 2 SPDT (R3-R4) relay
Resistive load	AC1 5 A/240 VAC (1200 VA)
Inductive load	AC15 2.5 A/230 VAC
Mechanical life	≥ 10 x 10 ⁶ operations
Electrical life	≥ 1 x 10 ⁵ operations, AC1
Operating frequency	≤ 360 operations/h
Wiring	1↑ ↓1 output for motor 1, 2↑ ↓2 output for motor 2,

Supply Specifications

Power supply	Overvoltage cat. II (IEC 60664-1, par. 4.3.3.2)
Rated operational voltage	15 to 24 VDC ± 20%
Operational voltage range	15 to 30 VDC (ripple included)
Rated operational power	3 W
Protection for reverse polarity	Yes
Connection	2xA1 (+) and 2xA2 (-) (2 pairs of terminals internally connected) Max 3A
Power on delay	Typ. 4 s
Power off delay	≤ 1 s

Input Specifications

Keypad For local ON/OFF switching

Dupline® Specifications

Voltage	8.2 V
Maximum Dupline® voltage	10 V
Minimum Dupline® voltage	5.5 V
Maximum Dupline® current	1.1 mA

The Dupline® bus is present on the internal bus: the modules can be connected one next to the other without the need of wiring the dupline bus. See "Wiring diagram".

General Specifications

Installation category	Cat. II	Connection	
Dielectric strength Power supply to dupline	500 V impulse (1.2/50 µs) 500 V AC for 1 min. (IEC60664-1, TAB. F. 1)	Terminal	12 screw-type max. 1.5 mm ²
Dupline to output, power supply to output	6 KV impulse 1.2/50µµs 4 KV AC for 1 min. (IEC60664-1, TAB. A. 1)	Cable cross-section area	0.4 Nm / 0.8 Nm
Address assignment	Automatic: the controller recognises the module through the SIN (Specific Identification Number) that has to be filled in the SH tool.	Tightening torque	
Fail-safe mode	In case of interruption of the smart-house connection, the motor will stop and it will be possible to control it locally by means of the pushbutton	Housing	
Environment Degree of protection Front	IP 50	Dimensions	2 DIN module
Screw terminal	IP 20	Material	Noryl
Pollution degree	2 (IEC 60664-1, par. 4.6.2)	Weight	150 g
Operating temperature	-20° to +50°C (-4° to 122°F)	Approvals	cRUus, according to UL60950
Storage temperature	-50° to +85°C (-58° to 185°F)	UL notes:	Max room temperature: 40°C
Humidity (non-condensing)	20 to 80% RH	A readily accessible disconnecting device shall be added in the building installation	
LED's indication Power LED	1 green	CE Marking	Yes
Dupline LED	1 yellow	EMC	
Motor status	4 red	Immunity	EN 61000-6-2
		- Electrostatic discharge	EN 61000-4-2
		- Radiated radiofrequency	EN 61000-4-3
		- Burst immunity	EN 61000-4-4
		- Surge	EN 61000-4-5
		- Conducted radio frequency	EN 61000-4-6
		- Power frequency magnetic fields	EN 61000-4-8
		- Voltage dips, variations, interruptions	EN 61000-4-11
		Emission	EN 61000-6-3
		- Conducted and radiated emissions	CISPR 22 (EN55022), cl. B
		- Conducted emissions	CISPR 16-2-1 (EN55016-2-1)
		- Radiated emissions	CISPR 16-2-3 (EN55016-2-3)

Mode of Operation

Push button

The push button is used for local switching ON/OFF of the output, without the need to connect the bus for test purpose.

The command from the pushbutton will only be recognized if it is kept pressed for more than 1 second: the two outputs will be activated for the whole time the push button is kept pressed. Once the push button is released, the outputs are deactivated. Every time the button is pressed, the direction of the motors is changed, always respecting the reverse delay time.

This rollerblind module is driven by the SH2WEB24 controller to move rollerblinds, sunblinds and shutters. It receives the UP and DOWN command from the SH2WEB24, and then activates the relevant output accordingly. The two outputs are driven independently and can be managed by different rollerblind functions.

The UP/DOWN output remains active for a time known as "running time" or until another UP/DOWN command is received. Before reversing the movement, the output remains

deactivated for a time called "reverse delay". The reverse delay times are sent to the SH2ROAC224 by the SH2WEB24 and can be different for each output. The running time is managed by the controller.

If the tilting function is enabled, the SH2ROAC224 will be able to manage the tilting command received from the SH2WEB24. The tilting command can be of two types: tilting UP and tilting DOWN. Once this command is received, the SH2ROAC224 will activate the UP or DOWN output for the tilting time always

respecting the reverse delay time.

Addressing

No addressing is needed since the module is provided with a specific identification number (SIN): the user has only to insert the SIN number in the SH tool when creating the system configuration.

Used channels: 2 output channels.

LEDs Indication

Red LED: 4 motor LEDs.

1? LED (red)
 Motor1 DOWN: ON if motor 1 DOWN command active.
 1? LED (red)
 Motor1 UP: ON if motor 1 UP command active.
 2? LED (red)
 Motor2 DOWN: ON if motor


2 DOWN command active.
 2? LED (red)
 Motor2 UP: ON if motor 2 UP command active.
 RED LED blinks during reverse time.
 Locally, the reverse time is 5s.

Green LED: Power status.

ON: supply ON
 OFF: supply OFF

Yellow LED: if the dupline bus is working properly, it is always ON.
 If there is a fault on the bus it will be flashing.
 It is OFF if the bus is OFF or not connected.

Dimensions



Wiring Diagrams

