PRESENCE AND MOTION DETECTORS **BASIC**

- 👚 | Indoor automation | Presence and motion detectors | BASIC | Motion detectors / Ceiling mounting / ON/OFF
 - •

MD 360/8 BASIC

Item number EB10430404

Offers special product features like

+ Zero-cross switching



72h
72h

11 55

Device category	Ceiling-mounted motion detector
Product information	Please note the Explanation of circuit breaker in the download area of the product!
Installation type	Surface mounting
Installation position	Ceiling
Protection type	IP40
Dimensions	Height/Depth 33 mm, Ø 101 mm
Detection angle	360°
Detection range diagonally	Ø8m
Field of detection	up to 50 m ²
In-rush current	78 A/ 5 ms
Permissible ambient temperature	0 °C+50 °C
Warranty	5 years

ACCESSORIES

COVER



BASIC 8 LENS MASK

Item number EB10423093 Spare part Lens mask 8 m



MOUNTING



BASIC SPACER WH

Item number EB10423130 Spacer for BASIC series, white





MOUNTING SET IP20 FM 62 WH

Item number EP10425929 Recessed ceiling mounting set includes installation bracket and dust-protected box, 62 mm



PROTECTION




BASKET GUARD ROUND LARGE

Item number EM10425608 Basket guard for presence and motion detectors and smoke detectors, Ø 180 mm, height 90 mm,



INSTALLATION VIDEO





CONTACT 02	
Salutation	
Firstname *	
Lastname *	
Company *	
Phone	
E-mail-address*	

Subject *

Y	our message *
	Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
	I have read and agreed to the privacy policy *
* R	equired

SIMILAR **PRODUCTS**

OTHER PRODUCTS





Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2 Service

Downloads

Knowledge

Support

. . .

ESYLUX Services Company ^

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint
|

Privacy policy
|

Privacy settings
|

General terms and conditions
|

Guarantee
|

Disclaimer
|

Oontact
|

© 2021 ESYLUX GmbH
Im