

WALL LIGHTS

OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 3000 K / 25 W



OL WL 200 OP 1600 830 BK

Item number EL10710810



The LED wall lights in the OL/AOL series are a timeless classic due to their elegant appearance and can be stylishly placed in any environment and improve the look of façades or entrance areas. The durable, die-cast aluminium housing makes them highly reliable and the optionally integrated motion detector ensures convenient, energy-efficient operation. Clever details simplify installation.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 184 mm x Height/Depth 143 mm
Diffusor	opal
Luminous efficacy	96 lm/W
Luminous flux	1600 lm
Rated output P	16.5 W
Colour temperature	3000 K

In-rush current	6.5 A/ 98 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year



CONTACT US

Salutation ▼

Firstname *

Lastname *

Company *

Phone

E-mail-address *


Subject *

Your message *

Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

I have read and agreed to the [privacy policy](#) *


* Required



SIMILAR PRODUCTS



OTHER PRODUCTS



DEFENSOR
MOTION DETECTORS



MD
MOTION DETECTORS



RC
MOTION DETECTORS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Whitepaper Introduction

vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

[Imprint](#)

[Privacy policy](#)

[Privacy settings](#)

[General terms and conditions](#)

[Guarantee](#)

[Disclaimer](#)

[Contact](#)

© 2021 ESYLUX GmbH

