

WALL LIGHTS

OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 3000 K / 25 W



AOL WL 200 OP 1600 830 MD WH

Item number EL10750809



Offers special product features like

+ Integrated motion detector

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 184 mm x Height/Depth 113 mm
Diffusor	opal
Luminous efficacy	94 lm/W
Luminous flux	1600 lm
Rated output P	17 W
Colour temperature	3000 K
Detection angle	140°

Detection range diagonally	10 m
Field of detection	122 m ²
In-rush current	100 A/ 200 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

3D-MODEL: **OL/AOL**

Experience this product in the interactive 3D view.



CATALOGUE 2020/2021



CONTACT US

Salutation

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) *


* Required



SIMILAR PRODUCTS



OTHER PRODUCTS





SUN PL
PORTABLE LIGHTS



ALVA
UP-/DOWNLIGHTS



MD
MOTION DETECTORS



DEFENSOR
MOTION DETECTORS



MD-W
MOTION DETECTORS



Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint

Privacy policy

Privacy settings

General terms and conditions

Guarantee

