SUN OFL/AFL

1 Outdoor lighting | Floodlights | SUN OFL/AFL | 3000 K / 30 W

SUN AFL TR 3400 830 MD BK


Item number EL10810138

Offers special product features like

- + Integrated motion detector
- + Overvoltage protection up to 2.5 kV



Device category	Floodlights
Product information	The floodlights are intended for use outdoors. If used inside (e.g. below the ceiling) the heat cannot be sufficiently discharged where necessary.
Installation type	Surface mounting
Installation position	Wall
Protection type	IP65
Dimensions	Length 290 mm x Width 250 mm x Height/Depth 86 mm
Diffusor	transparent
Luminous efficacy	112 lm/W
Luminous flux	3370 lm



Rated output P	30 W
Colour temperature	3000 K
Detection angle	160°
Detection range diagonally	12 m
Field of detection	201 m²
In-rush current	2.6 A/290 μs
Permissible ambient temperature	-25 °C+40 °C
Warranty	3-year

ACCESSORIES

MOUNTING



FL WALL ARM 700 BK Item number EL10810534 Wall arm for floodlight, 700 mm, including adapter, black




FL GROUND SPIKE BK

Item number EL10810558 Wall arm for floodlight, including adapter, black



INSTALLATION VIDEO



More on Spotlights



Discover the full potential of the spotlights.

<u>+</u> >



Experience this product in the interactive 3D view.





CONTACT US

Salutation
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *
 Yes, I agree that ESYLUX will inform me about news in the future via newsletter. I have read and agreed to the privacy policy *
* Required

SIMILAR PRODUCTS



OTHER PRODUCTS







Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2 Service

Downloads

Knowledge

Support

ESYLUX Services Company

-----j

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

∧

Imprint	
Privacy policy	
Privacy settings	
General terms and conditions	
Guarantee	
Disclaimer	
Contact	
© 2021 ESYLUX GmbH	

