# SUN OFL/AFL

1 Outdoor lighting | Floodlights | SUN OFL/AFL | 5000 K / 30 W

•

### SUN OFL TR 3700 850 BK


Item number EL10810169

#### Offers special product features like

+ Overvoltage protection up to 2.5 kV



Device category		Floodlights
Product information		The floodlights are intended for use outdoors. If used inside (e.g. below the ceiling) the heat cannot be sufficiently discharged where necessary.
Installation type	$\land$	Surface mounting
Installation position		Wall
Protection type		IP65
Dimensions	V	Length 267 mm x Width 252 mm x Height/Depth 86 mm
Diffusor		transparent
Luminous efficacy		121 lm/W
Luminous flux		3650 lm
Rated output P		30 W



Colour temperature	5200 K
In-rush current	11.4 A/ 98 μs
Permissible ambient temperature	-25 °C+50 °C
Warranty	3-year

## **ACCESSORIES**

#### MOUNTING



#### FL WALL ARM 700 BK

Item number EL10810534 Wall arm for floodlight, 700 mm, including adapter, black




#### FL GROUND SPIKE BK Item number EL10810558

Wall arm for floodlight, including adapter, black



### **INSTALLATION VIDEO**



### MORE ON SPOTLIGHTS



Discover the full potential of the spotlights.



### 3D-MODEL: SUN OFL/AFL

Experience this product in the interactive 3D view.



CONTACT US	
Salutation	•
Firstname *	
Lastname *	
Company *	

Phone
E-mail-address*
Subject *
Your message *
Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
I have read and agreed to the privacy policy *
* Required

# SIMILAR PRODUCTS



# OTHER **PRODUCTS**





Solutions
Offices
Education
Health Care Innov ations
Demand-driven Automation
Intelligent Lighting
Human Centric Lighting
Light control with DALI-2 Service
Downloads
Knowledge
Support
ESYLUX Services Company
Vision and mission
Experience and quality
Corporate responsibility
Research and development
Cooperations and memberships
Awards and prizes
References Highlights
ESYLUX Light Control
DEFENSOR
COMPACT

∧

ESY-Pen

AI	VA
ЯL	-vA

FLAT

ISABELLE

mprint
Privacy policy
Privacy settings
General terms and conditions
Guarantee
Disclaimer
Contact
02021 ESYLUX GmbH

