



•




SUN AFL TR 3700 850 MD WH

Item number EL10810176

Offers special product features like

- + Integrated motion detector
- + Overvoltage protection up to 2.5 kV







Device category		Floodlights		
Product information	٨	The floodlights are intended for use outdoors. If used inside (e. g. below the ceiling) the heat cannot be sufficiently discharged where necessary.		
Installation type	$ \ $	Surface mounting		
Installation position	-	Wall		
Protection type		IP65		
Dimensions	V	Length 290 mm x Width 250 mm x Height/Depth 86 mm		
Diffusor		transparent		
Luminous efficacy		121 lm/W		
Luminous flux		3650 lm		

Rated output P	30 W
Colour temperature	5200 K
Detection angle	160°
Detection range diagonally	12 m
Field of detection	201 m²
In-rush current	2.6 A/ 290 μs
Permissible ambient temperature	-25 °C+40 °C
Warranty	3-year

INSTALLATION VIDEO







CONTACT US
Salutation
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *

Yes, I agree that ESYLUX will inform me about news in the

future via newsletter.



SIMILAR PRODUCTS



OTHER PRODUCTS





Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility					
Research and development					
Cooperations and memberships					
Awards and prizes					
References Highlights					
ESYLUX Light Control					
DEFENSOR					
COMPACT					
ESY-Pen					
ALVA					
FLAT					
SABELLE					
ann diat					
mprint Privacy policy					
Privacy settings					
General terms and conditions					
Guarantee					
Disclaimer Contact					
2021 ESYLUX GmbH			(i) (f)	□ in	2(