

# BOLLARD LIGHTS ALVA

Home | Outdoor lighting | Bollard lights | ALVA | 4000 K / 360° / 940 mm / Ø 170 mm



## ALVA BL 940/170 TR 360° 1200 840 MD IR DALI AN

Item number EL10820427

### Offers special product features like

- + Integrated motion detector with DALI bus voltage supply
- + Protected against sea air

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Bollard light
Installation type	Free standing
Installation position	Floor
Protection type	IP65
Dimensions	Height/Depth 940 mm, Ø 170 mm
Diffusor	transparent
Luminous efficacy	79 lm/W
Luminous flux	1350 lm
Rated output P	17 W
Colour temperature	4100 K
Detection angle	140°
Detection range diagonally	6 m
Field of detection	44 m <sup>2</sup>
In-rush current	12 A/ 57 µs
Permissible ambient temperature	-25 °C...+40 °C

---

Warranty

5 years

---

## ACCESSORIES

### ELECTRICAL ACCESSORIES

---



#### ACTUATOR FULL AUTO C3 DALI

Item number EP10427473

Modul for the conversion of bus commands from the DALI presence detector and other light controls into switching signals (Full automation)



#### ACTUATOR SEMI AUTO C4 DALI

Item number EP10427480

Modul for the conversion of bus commands from the DALI presence detector and other light controls into switching signals (Semi-automatic)



### MOUNTING

---



#### ALVA GROUND ANCHOR

Item number EL10820083

Ground anchor galvanised for installation of bollard lights in concrete foundation or solid ground



### REMOTE CONTROL

---



#### ESY-Pen

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management






## REMOTE CONTROL PDi DALI

Item number EP10425899

IR remote control for DALI presence detectors and motion detectors



## INSTALLATION VIDEO



### MORE ON THE ALVA SERIES



Discover the full potential of the ALVA series.



ESY-PEN AND ESY-APP!



Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions.



### 3D-MODEL: ALVA

Experience this product in the interactive 3D view.



### CATALOGUE 2020/2021



### CONTACT US

Subject \*

Your message \*

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) \*

\* Required



## OTHER PRODUCTS

**SUN PL**  
PORTABLE LIGHTS



**OL/AOL**  
WALL LIGHTS



**BASIC OFL/AFL**  
FLOODLIGHTS



**MD-W**  
MOTION DETECTORS



**CDS**  
TWILIGHT SWITCH



**BASIC**  
MOTION DETECTORS



**Solutions**

Offices

Education

Health Care

**Innovations**

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

**Service**

Downloads

Knowledge

Support

ESYLUX Services

**Company**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

**Highlights**

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

[Imprint](#)

[Privacy policy](#)

[Privacy settings](#)

[General terms and conditions](#)

[Guarantee](#)

[Disclaimer](#)

[Contact](#)

© 2021 ESYLUX GmbH

