

# BOLLARD LIGHTS ALVA

Home | Outdoor lighting | Bollard lights | ALVA | 4000 K / 180° / 940 mm / Ø 170 mm



## ALVA BL 940/170 OP 180° 600 840 DALI AN

Item number EL10820823



### Offers special product features like

- + Protected against sea air

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Bollard light
Installation type	Free standing
Installation position	Floor
Protection type	IP65
Dimensions	Height/Depth 940 mm, Ø 170 mm
Diffusor	opal
Luminous efficacy	37 lm/W
Luminous flux	630 lm
Rated output P	17 W
Colour temperature	4100 K
In-rush current	12 A/ 57 µs
Permissible ambient temperature	-25 °C...+40 °C
Warranty	5 years

## ACCESSORIES

### MOUNTING




## ALVA GROUND ANCHOR

Item number EL10820083

Ground anchor galvanised for installation of bollard lights in concrete foundation or solid ground



## INSTALLATION VIDEO



### MORE ON THE ALVA SERIES



Discover the full potential of the ALVA series.



CATALOGUE  
2020/2021



## CONTACT US

Salutation 

Firstname \*

Lastname \*

Company \*

Phone

E-mail-address \*

Subject \*

Your message \*

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) \*

\* Required



## OTHER PRODUCTS

SUN PL  
PORTABLE LIGHTS



**OL/AOL**  
WALL LIGHTS



**ALVA**  
WALL LIGHTS



**RC**  
MOTION DETECTORS



**MD-W**  
MOTION DETECTORS



**DEFENSOR**  
MOTION DETECTORS



Solutions

Offices

Education



Health Care

**Innovations**

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

**Service**

Downloads

Knowledge

Support

ESYLUX Services

**Company**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

**Highlights**

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

[Imprint](#) |  
[Privacy policy](#) |  
[Privacy settings](#) |  
[General terms and conditions](#) |  
[Guarantee](#) |  
[Disclaimer](#) |  
[Contact](#)

© 2021 ESYLUX GmbH



