MOTION DETECTORS

BASIC



•



MD 180 BASIC weiss

Item number EM10055089

Offers special product features like

- + One-hand plug-in base
- + Zero-cross switching





Device category	Outdoor motion detector		
Product information	Please note the Explanation of circuit breaker in the download area of the product!		
Installation type	Surface mounting		
Installation position	Wall		
Protection type	IP44		
Dimensions	Length 80 mm x Width 55 mm x Height/Depth 66 mm		
Detection angle	180° horizontally and vertically rotatable +/- 30°		
Detection range diagonal	Ø 20 m		
Field of detection	up to 157 m ²		
In-rush current	40 A/20 ms		
Permissible ambient temperature	-20 °C+40 °C		
Warranty	5 years		

ACCESSORIES



CURRENT LIMITING MODULE 230V

Item number EP10426353

Current-limiting module for protecting the relay contact of a presence and motion detector





INSTALLATION VIDEO







CONTACT US
Salutation
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *
Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
I have read and agreed to the privacy policy *
* Required

SIMILAR PRODUCTS





OTHER PRODUCTS





Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service			
Downloads			
(nowledge			
Support			
SYLUX Services			
/ision and mission			
Experience and quality			
Corporate responsibility			
Research and development			
Cooperations and nemberships			
wards and prizes			
References lighlights			
SYLUX Light Control			
DEFENSOR			
COMPACT			
SY-Pen			
NLVA			
LAT			
SABELLE			
mprint Privacy policy Privacy settings General terms and conditions			
Guarantee Disclaimer			
Contact 2021 ESYLUX GmbH		(i) [f]	in ∤