

# PRESENCE AND MOTION DETECTORS STANDARD

Home | Indoor automation | Presence and motion detectors | STANDARD | Presence detectors / Ceiling mounting / ON/OFF



## PD 360i/24

Item number EM10425103



### Offers special product features like

- + Simple parameterisation, remote control and documentation with ESY-Pen and ESY-App

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Ceiling-mounted presence detector
Product information	Please note the Explanation of circuit breaker in the download area of the product!
Installation type	Recessed mounting / device box (Ø 68 mm)
Installation position	Ceiling
Protection type	recessed-mounted IP20, IP54 with surface-mounted box (order separately)
Dimensions	Height/Depth 75 mm, Ø 140 mm
Detection angle	360°
Detection range diagonally	Ø 24 m
Field of detection	up to 453 m <sup>2</sup>
In-rush current	800 A/ 200 µs
Permissible ambient temperature	0 °C...+50 °C
Warranty	3-year

## ACCESSORIES

## CEILING-MOUNTED PRESENCE DETECTOR

---



### PD 360/24 Slave

Item number EM10425127

Slave presence detector for extending the field of detection of a Master presence detector with 360° field of detection for ceiling mounting



### PD 360/8 Slave

Item number EM10425028

Slave presence detector for extending the field of detection of a Master presence detector with 360° field of detection for ceiling mounting



## ELECTRICAL ACCESSORIES

---



### FILTER 230 V

Item number EP10426988

Filter for suppression of inductive loads, such as relays, contactors, fluorescent lamps and transformers



## MOUNTING

---



### STANDARD MOUNTING BOX IP54 SM WH

Item number EM10425400

Surface-mounted box for the STANDARD series, IP54, white



## PROTECTION

---



### BASKET GUARD ROUND LARGE

Item number EM10425608

Basket guard for presence and motion detectors and smoke

detectors, Ø 180 mm, height 90 mm,



### BASKET GUARD ROUND SMALL

Item number EM10425615

Basket guard for presence and motion detectors and smoke detectors, Ø 165 mm, height 70 mm,



### REMOTE CONTROL



### ESY-Pen

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management



### REMOTE CONTROL MDi/PDi

Item number EM10425509

IR remote control for presence detectors and motion detectors



## ESY-PEN AND ESY-APP!



Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions.


DEMO

ESY  
CONTROL



### 3D-MODEL: **STANDARD**

Experience this product in the interactive 3D view.



### ALTERNATIVE PRODUCT OF THE SERIES **BASIC**

Item number EB10430879



### CATALOGUE 2020/2021



### CONTACT US

Salutation

Firstname \*

Lastname \*

Company \*

Phone

E-mail-address \*

Subject \*

Your message \*

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) \*

\* Required



## SIMILAR PRODUCTS

## OTHER PRODUCTS

### DIN RAIL ACTUATORS



### PROTECTOR SMOKE ALARM



**SMARTDRIVER**  
CONTROLS



**STELLA**  
RECESSED LIGHTS



**SLX**  
EMERGENCY LIGHTS



**SLB**  
EMERGENCY LIGHTS



**Solutions**

Offices

Education

Health Care

**Innovations**

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2



## Service

Downloads

Knowledge

Support

ESYLUX Services

## Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

## Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

[Imprint](#) |  
[Privacy policy](#) |  
[Privacy settings](#) |  
[General terms and conditions](#) |  
[Guarantee](#) |  
[Disclaimer](#) |  
[Contact](#)  
© 2021 ESYLUX GmbH

