

EMERGENCY LIGHTS

1 Indoor lighting | Emergency lights | ELH



ELH EL LED 3h SC RM OFFICE

Item number EN10080029

The ELH series provides escape route lighting for single-battery operation with a lens construction that is specially designed for extensive areas — either for oval illumination of floors or circular illumination of large rooms. Its larger-than-average range reduces the number of lights required. The integrated DALI interface ensures high levels of control flexibility during operation and convenient maintenance.



Device category	Safetylight
Installation type	Recessed mounting
Installation position	Ceiling
Protection type	IP20
Dimensions	Height/Depth 45 mm, Ø 55 mm
Luminous efficacy	38 lm/W
Luminous flux	155 lm
Rated output P	4 W
Colour temperature	approx. 4500 K
In-rush current	1.4 A/ 442 µs



Permissible ambient temperature	5 °C+35 °C
Warranty	5 years

ACCESSORIES

BATTERY

Internal STAT

ELH FM BATTERY 2000mAh

Item number EN00007361 Battery for ELH series, 2000 mAh, built-in version





CONTACT US		
Salutation	▼ 1	
Firstname *		
Lastname *		
Company *		
Phone		
E-mail-address*		
Subject *		

Y	our message *
	Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
	I have read and agreed to the privacy policy *
* Re	equired
	≡ ⊠

SIMILAR PRODUCTS

OTHER PRODUCTS





Solutions Offices Education Health Care Innov ations Demand-driven Automation Demand-driven Automation Intelligent Lighting Human Centric Lighting Human Centric Lighting Light control with DALI-2 Service Downloads Knowledge Support ESYLUX Services

Company

. .

. . .

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

