MOISTURE-PROOF LIGHTS

OLIVIA







OLIVIA MPL 1565 OP 5000 840

Item number EO10310119



The OLIMA moisture proof luminaires are ideal for illuminating passages, halls, garages, carports and cellars. Clever details simplify installation, protection type IP65 guarantees high weather protection and supports easy cleaning.

SHORTFACTS	
TECHNICAL DATA	
DOWNLOADS	
LIGHT CALCULATION	

Device category	Moisture proof luminaire			
Installation type	Surface mounting			
Installation position	Ceiling / wall			
Protection type	IP65			
Dimensions	Length 1565 mm x Width 130 mm x Height/Depth 88 mm			
Diffusor	opal			
Unified Glare Rating	≤ 25			
Luminous efficacy	94 lm/W			
Luminous flux	4650 lm			
Rated output P	49 W			
Colour temperature	4100 K			

In-rush current	22.3 A/355 µs		
Permissible ambient temperature	-20 °C+45 °C		
Warranty	5 years		

ACCESSORIES

MOUNTING



OLIVIA CLAMP SET 12x

Item number EO10310195

Mounting clamps for diffuser from the OLIVIA series, 12 pcs, stainless steel $\,$





INSTALLATION VIDEO





OTHER PRODUCTS





Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service		
Downloads		
Knowledge		
Support		
ESYLUX Services		
/ision and mission		
Experience and quality		
Corporate responsibility		
Research and development		
Cooperations and nemberships		
Awards and prizes		
References lighlights		
ESYLUX Light Control		
DEFENSOR		
COMPACT		
ESY-Pen		
ALVA		
LAT		
SABELLE		
mprint Privacy policy Privacy settings General terms and conditions Guarantee Disclaimer		
Contact		
2021 ESYLUX GmbH		in 🗸