#### wall and ceiling lights **ELLEN**

1 Indoor lighting | Wall and ceiling lights | ELLEN | 4000 K

•

#### ELLEN WCL 300 OP 1300 840 IP44

Item number EO10850110

The LED lights in the ELLEN series feature a beautiful, imeless design, making them ideal for ceiling or wall mounting in hallways, staircases and function rooms. The optional concealed motion and light sensor technology and high level of luminous efficacy ensure energy-efficient operation on demand.

**« »** 

72h



Device category	Wall and ceiling light
Installation type	Surface mounting
Installation position	Celling / wall
Protection type	IP44
Dimensions	Height/Depth 95 mm, Ø 300 mm
Diffusor	dia
Unified Glare Rating	≤ 22
Luminous efficacy	122 lm/W
Luminous flux	1350 lm
Rated output P	11 W
Colour temperature	4000 K

In-rush current	10.6 A/ 123 µs
Permissible ambient temperature	0 °C+50 °C
Warranty	3-year

### ACCESSORIES


COVER



ELLEN COVER OP Item number EO10850127 Cover for ELLEN series, opal



### **INSTALLATION VIDEO**



3D-MODEL: ELLEN

Experience this product in the interactive 3D view.





CONTACT US
Salutation
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *
<ul> <li>Yes, I agree that ESYLUX will inform me about news in the future via newsletter.</li> <li>I have read and agreed to the privacy policy *</li> </ul>
* Required

## SIMILAR PRODUCTS



# **OTHER PRODUCTS**





#### Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

>

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2 Service

Downloads

Knowledge

Support

. . .

ESYLUX Services Company ∧

#### Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint
|

Privacy policy
|

Privacy settings
|

General terms and conditions
|

Guarantee
|

Disclaimer
|

Oontact
|

© 2021 ESYLUX GmbH
Im