## PRESENCE AND MOTION DETECTORS

## COMPACT



## Offers special product features like

+ Simple parameterisation, remote control and documentation with ESY-Pen and ESY-App



Device category	Ceiling-mounted presence detector		
Product information	Please note the Explanation of circuit breaker in the download area of the product!		
Installation type	Surface mounting		
Installation position	Ceiling		
Protection type	IP20		
Dimensions	Height/Depth 74 mm, Ø 108 mm		
Detection angle	360°		
Detection range diagonally	Ø 24 m		
Field of detection	up to 453 m²		
In-rush current	800 A/ 200 μs		
Permissible ambient temperature	-25 °C+50 °C		
Warranty	5 years		

## **ACCESSORIES**

#### **CEILING-MOUNTED PRESENCE DETECTOR**



#### PD-C 360/8 Slave

Item number EP10055379

Slave presence detector for extending the field of detection of a Master presence detector







#### PD-C 360/24 Slave

Item number EP10055386

Slave presence detector for extending the field of detection of a Master presence detector







#### PD-C 360/32 Slave

Item number EP10427770

Slave presence detector for extending the field of detection of a Master presence detector







**COVER** 



#### COMPACT COVER SET 24/32 SR

Item number EP10425431

Cover set for COMPACT series, 24 m/32 m, consists of cover and design ring, silver







#### COMPACT COVER SET 24/32 BK

Item number EP00007491

Cover set for COMPACT series, 24 m/32 m, consists of cover and design ring, black





#### **MOUNTING**



#### COMPACT MOUNTING SET IP20 FM 72 WH

Item number EP10426896

Recessed ceiling mounting set includes installation bracket and dust-protected box, 72  $\mbox{mm}$ 







#### COMPACT MOUNTING BOX IP20 SM BK

Item number EP10426933

Surface-mounted box for COMPACT series, IP20, black







#### COMPACT MOUNTING BOX IP54 SM BK

Item number EP10426940

Surface-mounted box for COMPACT series, IP54, black





### **PROTECTION**



#### **BASKET GUARD ROUND LARGE**

Item number EM10425608

Basket guard for presence and motion detectors and smoke detectors,  $\varnothing$  180 mm, height 90 mm,





#### REMOTE CONTROL



#### **ESY-Pen**

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management







#### REMOTE CONTROL PDi/plus

Item number EM10425530

IR remote control for presence detector with HVAC contact (plus)  $\,$ 







#### REMOTE CONTROL PDi/USER

Item number EM10425547

IR remote control for end users of presence detectors





## **INSTALLATION VIDEO**

# MORE ON THE COMPACT SERIES




Discover the full potential of the COMPACT series.












## SIMILAR PRODUCTS

## **OTHER PRODUCTS**





#### Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service					
Downloads					
Knowledge					
Support					
ESYLUX Services					
/ision and mission					
Experience and quality					
Corporate responsibility					
Research and development					
Cooperations and nemberships					
Awards and prizes					
References lighlights					
ESYLUX Light Control					
DEFENSOR					
COMPACT					
SY-Pen					
ALVA					
LAT					
SABELLE					
mprint					
Privacy policy Privacy settings					
General terms and conditions					
Guarantee					
Disclaimer					
Contact © 2021 ESYLUX GmbH					
2021 LOTLOX GIIIDII			[	☐ in 🏒	