

# ACCESSORIES

# COMPACT

Home | Compact



## ACTUATOR SEMI AUTO C4 DALI

Item number EP10427480



The COMPACT series actuators (DALI switch) convert the digital commands from ESYLUX DALI presence detectors and other ESYLUX light controls such as lighting systems into switch actions. This enables the components in the room, such as the lighting, heating and ventilation, to be controlled conveniently.

TECHNICAL DATA

DOWNLOADS

### GENERAL

Device category	Electrical accessories
Conformity	CE, EAC, RoHS, SundaHus, WEEE
Warranty	3-year

### MOUNTING

Installation type	Recessed mounting
Installation position	Box
Installation dimension	Installation length: 45 mm x Installation width: 45 mm x Installation depth: 25 mm, Ø68 mm
Type of connection	Screw terminal

### HOUSING

Dimensions	Length 45 mm x Width 45 mm x Height/Depth 24 mm
Weight	15 g
Material	UV-stabilised polycarbonate


## HOUSING

Protection type	IP20
Permissible ambient temperature	0 °C...+50 °C
Relative humidity	5 - 93 %, non-condensing
Colour	white, similar to RAL 9010

## ELECTRICAL VERSION

Control system	DALI
Protection class	II
Nominal voltage	13 - 22.4 V
Power consumption	0.2 W

## INSTALLATION VIDEO



### CATALOGUE 2020/2021



## CONTACT US

Salutation ▼

Firstname \*

Lastname \*

Company \*

Phone

E-mail-address \*

Subject \*

Your message \*

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) \*

\* Required



### Solutions

Offices

Education

Health Care

### Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

### Service

Downloads



Knowledge

Support

ESYLUX Services

**Company**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

**Highlights**

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint

Privacy policy

Privacy settings

General terms and conditions

Guarantee

Disclaimer

Contact

©2021 ESYLUX GmbH

