

Products → Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

General Information

Global Commercial Alias:	6305.0108.2
Extended Product Type:	SLD 1
Product ID:	2CGX063050108
EAN:	7331980049127
Catalog Description:	SLD 1 Fuse switch disconnecter
Long Description:	Fuse switch disconnecter with dependent manual operation

Ordering

EAN:	7331980049127
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369010

Dimensions

Product Net Width:	150 mm
Product Net Height:	517 mm
Product Net Depth:	160 mm
Product Net Weight:	4,3 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	150 mm
Package Level 1 Height:	182 mm
Package Level 1 Length:	517 mm
Package Level 1 Gross Weight:	4,3 kg
Package Level 1 EAN:	7331980049127
Package Level 2 Units:	32 piece
Package Level 2 Width:	800 mm
Package Level 2 Height:	750 mm
Package Level 2 Length:	1200 mm
Package Level 2 Gross Weight:	137,6 kg
Product Packing Type:	Pallet

Additional Information

Cable Cross-Section:	50 ... 300 mm ²
Connection Type:	Screw clamp

Conventional Thermal Current (I_{the}):	250 A
Degree of Protection:	acc. to IEC 60529 IP2X
Fuse Size:	1
Fuse Type:	NH
Handle Type:	Cover grip
Number of Poles:	3
Product Main Type:	Switching device
Product Name:	Fuse switch disconnecter
Rated Impulse Withstand Voltage (U_{imp}):	8 kV
Rated Insulation Voltage (U_i):	690 V
Rated Operational Current (I_e):	250 A
Rated Operational Current AC-22B (I_e):	(690 V) 250 A
Rated Operational Current AC-23B (I_e):	(400V) 250 A
Rated Operational Voltage:	400 V
Rated Short-time Withstand Current (I_{cw}):	for 1 s 16.2 kiloampere rms
Tightening Torque:	15 N·m Wire-Clamp 20 ... 35 N·m

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2CGC0036
Declaration of Conformity - CE:	2CGC0023
Environmental Information:	2CGC0033
Instructions and Manuals:	439075191B

Classifications

E-nummer:	0732751
ETIM 5:	EC001040 - Fuse switch disconnecter
ETIM 6:	EC001040 - Fuse switch disconnecter

