

## FM Global Outlet 88x88, 2x1-Port, pure white

**DESCRIPTION**

Suitable for flush-mounted (FM) and duct-mounted (DM) installations. For use with cover frames and duct covers of Ø 70 mm in diameter or 70x70 mm cutouts. Suitable for backboxes and floorbox module holders of Ø 60 mm mounting tracks.

Recommended depth for backboxes and floorboxes min. 70 mm.

Plastic: PC + ABS, halogen-free.

090.2086

**SCOPE OF SUPPLY**

- Cover frame 88x88 mm
- 2-part faceplate 60x60 mm
- M3x12 screws
- Blind cover (when used as a 1-port outlet)
- Mounting plate, steel
- Label strips, blank

**TENDER**

This outlet features an angled outlet hood of 30°, for flush installations and duct-mounting, including a mounting plate with a mounting track of 60 mm, cover frame of 80 x 80 mm, labeling window and module holder for 2 individual RJ45 modules, plus a blind cover for the use as a one-RJ45 outlet, to cover the unused port. Color: white (RAL 9010). Halogen-free in acc. with DIN/VDE 0472/815. Designed to accommodate the R&M security and the R&M environment system. The 3-level protection concept comprises the options color coding, mechanical-visual coding, and the locking of individual ports.

**TECHNICAL DATA**

DESCRIPTION	VALUE / VALUE RANGE
Application area	flush-mounting (FM)
Assembly	empty
Outlet type	outlet
Capacity (ports)	2 x 1
Standard	Halogen-free, in accordance with DIN/VDE 0472/815












**MECHANICAL DATA**




DESCRIPTION	VALUE / VALUE RANGE
Dimensions	88.0 mm x 88.0 mm / 3.465 in x 3.465 in (W x H)
Color Code RAL	9010 Pure white
Material	plastic: PC + ABS

**ENVIRONMENTAL DATA**

DESCRIPTION	VALUE / VALUE RANGE
Operation temperature	-10 °C to +80 °C / +14 °F to +176 °F

## ACCESSORIES

Type	Picture	Description	Article	E-Number
Optional accessories		Plug Guard RJ45, green	R304825	977901245
Optional accessories		Plug Guard RJ45, red	R304826	977901265
Optional accessories		Plug Guard RJ45, white	R304827	977901215
Optional accessories		Hinged Dust Cover, anthracite	R305685	977901405
Optional accessories		Hinged Dust Cover, blue	R305686	977901425
Optional accessories		Hinged Dust Cover, brown	R305687	977901485
Optional accessories		Hinged Dust Cover, yellow	R305688	977901455
Optional accessories		Hinged Dust Cover, gray	R305689	977901555
Optional accessories		Hinged Dust Cover, green	R305690	977901445
Optional accessories		Hinged Dust Cover, red	R305691	977901465
Optional accessories		Hinged Dust Cover, violet	R305692	977901435
Optional accessories		Hinged Dust Cover, white	R305693	977901415
Optional accessories		Splash Cap IP54, blue	R306058	966907125
Optional accessories		Splash Cap IP54, yellow	R306060	966907155
Optional accessories		Splash Cap IP54, green	R306061	966907145
Optional accessories		Splash Cap IP54, red	R306062	966907165
Optional accessories		Splash Cap IP54, white	R306063	966907115

Type	Picture	Description	Article	E-Number
Optional accessories		Coding Frame SC-RJ Adapter	R310216	966794915
Optional accessories		A4 Label Sheet, 104x 50x9 mm	R312102	
Optional accessories		Blind Cover Universal, white	R925719	977904015