


Product data sheet

Item No. 92.030.5958.0

Intermediate coupling GST18I3Z 1P1 WS

Intermediate coupling, GST18i3, 3 pole, not lockable, 1 input, 1 output, 250 V, 20 A, for direct routing, colour of coding: white



Item No.	92.030.5958.0
EAN	4015573236813
Order Unit	100 Piece(s)

Certificates / Approvals



Technical data

General

Rated current	20 A
Rated voltage	250 V
Rated impulse voltage	4 kV
Pollution degree	2
Mechanical coding	Code 1
Lockable	No
Color of coding/ contact carrier	White
Marking of poles	L, N, PE

Model

Number of inputs	1
Number of outputs	1
Type of fastening	No
Degree of protection (IP)	IP20
Type of distributor	Intermediate coupling

Material

Housing material	Polyamide
------------------	-----------

Halogen free	Yes
Contact material	CuZn
Insulation components continuous temperature	100 °C
Surface finish	Tin-plated

Dimensions

Length	39 mm
Width	28.2 mm
Height	13 mm

Technical drawing

A

These dimensions will be especially checked at delivery
Only inspection dimensions
With IE marked dimensions are only valid for internal use

B

These Maße werden bei Abnahme besonders geprüft
Ausschließlich Prüfmaße
Mit IE gekennzeichnete Maße sind nur für interne Zwecke gültig

C

D

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung dieses Inhalts sind ausdrücklich untersagt. Die Haftung für die Nutzung des Produkts oder die Haftung für Schäden, die durch die Verwendung des Produkts entstehen, wird durch die Haftung des Herstellers nicht ersetzt. Die Haftung des Herstellers ist durch die Haftung des Herstellers nicht ersetzt. Die Haftung des Herstellers ist durch die Haftung des Herstellers nicht ersetzt.

Teilenummer part number	Typ type	Farbe colour	Weitere Daten siehe Katalog further data see catalog
92.030.5958.0	GST 1813Z 1P1 WS	weiß/white	
92.030.5958.1	GST 1813Z 1P1 SW	schwarz/black	

Tolerierung Size ISO 14405 © / Tolerance system Size ISO 14405 ©.
 (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).

ja/yes Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten.
 Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach General tolerance	CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed	1. Verwendung: First Use:
		Blatt: 1 von 1 Sheet: of 1

		Werkstoff / Material	gezeichnet drawn	Tag/Date	Name	Zeichnung Nr. / Drawing No.	Index
			25.02.2008	Schmitt J.		T 92.030.5958.0 01K	c
		Maßstab / Scale 2:1	geprüft checked			Maße in mm / Dimensions are in mm	
		Vol. --- mm ³	Normgepr. Stand. check	Ersatz für / Replacement for:			
c	21.06.2016		Type				
b	15.05.2014		Benennung/Title				
a	15.05.2013		ZWISCHENKUPPLUNG				
Index	Datum / Blatt Date / Sheet	wieland		intermediate coupling			(a)
Änderung / Revision		www.wieland-electric.com		250V AC 20A			

