

BAHCO®



Sticky TORX® colored bits




TECHNICAL DATA

1. For TORX® head screws
2. 1/4" hexagon drive. DIN 3126, ISO 1173, style C 6.3
3. Robust and tough bits
4. Zinc phosphated finish
5. For universal use




1.



FEATURES & BENEFITS

This conical TORX® profile provides better fit in the screw providing a better performance since eliminated the screw head cam-out. This design of the profile creates a wedging effect that holds the TORX screw with total security on the bit.



LOOSE ITEMS & SET

STICKY TORX COLORED BITS - LOOSE ITEMS



Bahco code	Description	Profile	SIZE	L (MM)	Drive	Content pieces
59S/T10CS	10XBITS T10C 25MM 1/4 STICKY	TORX	T10	25	1/4"	10
59S/T15CS	10XBITS T15C 25MM 1/4 STICKY	TORX	T15	25	1/4"	10
59S/T20CS	10XBITS T20C 25MM 1/4 STICKY	TORX	T20	25	1/4"	10
59S/T25CS	10XBITS T25C 25MM 1/4 STICKY	TORX	T25	25	1/4"	10
59S/T27CS	10XBITS T20C 25MM 1/4 STICKY	TORX	T27	25	1/4"	10
59S/T30CS	10XBITS T30C 25MM 1/4 STICKY	TORX	T30	25	1/4"	10
59S/T40CS	10XBITS T40C 25MM 1/4 STICKY	TORX	T40	25	1/4"	10

STICKY TORX COLORED BITS - SET



Bahco code	Description	Content pieces	Packaging type
59S/TCS11-1	11PCS SET STICKY TORX COLOURED	11	Plastic holder

SET content	Size	L/MM)	Drive	Content pcs
TORX	T10	25	1/4"	1
TORX	T15	25	1/4"	1
TORX	T20	25	1/4"	3
TORX	T25	25	1/4"	2
TORX	T30	25	1/4"	2
TORX	T40	25	1/4"	1
Quick release magnetic bit holder	1/4"	60mm	1/4"	1

11

