



ALPHA 630 DIN FLOOR-MOUNTED DB IP55,  
SK I,  
RAL 7035 H=1950 W=300 D=320 INCL. BASE AND SHEET  
STEEL DOOR W. CLOSED SIDE PANEL INCL. 2-K  
FLANGES

Similar to image

#### Technical data:

<b>Height</b>	mm	1,950
<b>Width</b>	mm	300
<b>Depth</b>	mm	320
<b>Protection class IP</b>		IP55
<b>Design of the cap/top cover</b>		others
<b>RAL color number</b>		7035
<b>Mounting depth</b>	mm	320
<b>Surface processing</b>		powder-coated
<b>Acceptability for application / for outside use</b>		No
<b>Material / of the enclosure</b>		Steel
<b>Product component / cable entry</b>		Yes
<b>Product component / Mounting plate</b>		No
<b>Product extension / optional / Sequence</b>		No
<b>Suitability for interaction / lightning protection</b>		No

#### Certificates/approvals:

**General Product  
Approval**

**Test Certificates**



[Type Test  
Certificates/Test  
Report](#)

**Further information:**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/lowvoltage/mall>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**



<http://support.automation.siemens.com/WW/view/en/8GK1323-8KN14/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK1323-8KN14](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1323-8KN14)

**CAX-Online-Generator**

<http://www.siemens.com/cax>



last change:

Oct 8, 2012