

ALPHA-ZS QUICK-MOUNTING SET FOR
TELECOMMUNICATION,
H=1350,
W=250 WITH PERF. SHEET AND INSERT. NU

Technical data:

Height	mm	1,350
Width	mm	250
Number of multi-rate tariff device locations		0
Number of meter locations		0
Number of rows		0
Number of pitch units for width		0
Design of the meter field		electronic domestic meter
Product component		
• wiring		No
• Mounting plate		No
Product feature / of the lower terminal compartment		with busbar 4-pole
Design of the cap/top cover		without cover

Certificates/approvals:

General Product Approval

Test Certificates



[Type Test
Certificates/Test
Report](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/maill>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WW/view/en/8GS4016-4/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GS4016-4

CAX-Online-Generator

<http://www.siemens.com/cax>



last change:

Aug 26, 2011