

Item no.: 772-261  
 Product description: Power supply module ; WITH RELIEF HOUSING; 5 POLE;  
 WIRE DIAMETER 9-13 MM



Packing unit 25 pieces

Product group	20 (WINSTA)
pole count	5
Cross section from [mm <sup>2</sup> ]	0,25 mm <sup>2</sup>
Cross section to [mm <sup>2</sup> ]	2,5 mm <sup>2</sup>
Cross section from [AWG]	22 AWG
Cross section to [AWG]	14 AWG
Wiring method	e+f
Connection method	CONTACT CAGE CLAMP®CONNECTION
Number of strands	2
Cross section from [mm <sup>2</sup> ]	0,25 mm <sup>2</sup>
Cross section to [mm <sup>2</sup> ]	4 mm <sup>2</sup>
Cross section from [AWG]	22 AWG
Cross section to [AWG]	12 AWG
Wiring method	m
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	25 A
Weight	82 g
Color	black
No. of connection Points	10
No. of potentials	5



Height	1,831 in
Width	50 mm
Width	1,969 in
Depth	82,5 mm
Depth	3,248 in
Strip length from	9 mm
Strip length to	9 mm
Strip length	0,35 in



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
772-261	cURus	E45171	600	20	5x4

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected