Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norw egian Bokmål

Worldwide English



EZ-TO - Center mounting accessories, with adapter plate, For use with TO-.../E, T3-.../E



081622 EZ-T0 Overview Specifications Resources 요요모



- •
- •
- •
- Delivery program

081622 EZ-T0

Center mounting accessories, with adapter plate, For use with T0-../E, T3-../E EL-Nummer (Norway) 0001456513

Accessories to cam switches T/switch-disconnectors Paccording to IEC/EN60947-3, design general: insulating material-surface mounting enclosure, flush mounting, centre mounting, rear mounting IVS service distribution board mounting. The capable, robust, compact T cam switches are used in industry, handwork, and building services management. A variety of standard circuits are available for selection. Special customer-specific circuits are implemented as supplements. The possibilities are almost unlimited here. Comprehensive accessories complete the switch range and supplement application possibilities.

Design verification as per IEC/EN 61439

- Technical data ETIM 7.0
- Approvals

Basic function Assembly kits Function center mounting accessories For cam switches with existing front plate Quick installation by means of snap fitting for single-hole fitting 22.3 mm For use with T0-.../E T3-.../E Information about equipment supplied with adapter plate

Design verification as per IEC/EN 61439

Technical data for design verification Rated operational current for specified heat dissipation [In] 0 A Heat dissipation per pole, current-dependent [Pvid] 0 W Equipment heat dissipation, current-dependent [Pvid] 0 W Static heat dissipation, non-current-dependent [P_{vs}] 0 W Heat dissipation capacity [Pdiss] 0 W Operating ambient temperature min. -25 °C Operating ambient temperature max. +50 °C IEC/EN 61439 design verification 10.2 Strength of materials and parts10.2.2 Corrosion resistance Meets the product standard's requirements. 10.2 Strength of materials and parts 10.2.3.1 Verification of thermal stability of enclosures Meets the product standard's requirements. 10.2 Strength of materials and parts10.2.3.2 Verification of resistance of insulating materials to normal heat Meets the product standard's requirements. 10.2 Strength of materials and parts 10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire due to internal electric effects Meets the product standard's requirements. 10.2 Strength of materials and parts10.2.4 Resistance to ultra-violet (UV) radiation Meets the product standard's requirements. 10.2 Strength of materials and parts 10.2.5 Lifting Does not apply, since the entire switchgear needs to be evaluated. 10.2 Strength of materials and parts 10.2.6 Mechanical impact Does not apply, since the entire switchgear needs to be evaluated. 10.2 Strength of materials and parts10.2.7 Inscriptions Meets the product standard's requirements. 10.3 Degree of protection of ASSEVBLIES Does not apply, since the entire switchgear needs to be evaluated. 10.4 Clearances and creepage distances Meets the product standard's requirements. 10.5 Protection against electric shock Does not apply, since the entire switchgear needs to be evaluated. 10.6 Incorporation of switching devices and components Does not apply, since the entire switchgear needs to be evaluated. 10.7 Internal electrical circuits and connections Is the panel builder's responsibility. 10.8 Connections for external conductors Is the panel builder's responsibility. 10.9 Insulation properties 10.9.2 Pow er-frequency electric strength Is the panel builder's responsibility. 10.9 Insulation properties 10.9.3 Impulse withstand voltage Is the panel builder's responsibility. 10.9 Insulation properties 10.9.4 Testing of enclosures made of insulating material Is the panel builder's responsibility. 10.10 Temperature rise Not applicable. 10.11 Short-circuit rating

Is the panel builder's responsibility. The specifications for the switchgear must be observed. 10.12 Electromagnetic compatibility Is the panel builder's responsibility. The specifications for the switchgear must be observed. 10.13 Mechanical function The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Accessories for low-voltage switch technology (EC002498) Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for lowvoltage switching technology / Component for low-voltage switch technology (accessories) (ecl@ss10.0.1-27-37-13-92 [AKN570013]) Type of accessory Other

Approvals

North America Certification UL/CSA certification not required

3D drawing

1151026 Line drawing Central mounting accessories

Product photo

- 115A036
 Photo
 Central mounting accessories
- y7-81622_bk
 Photo



y7-81622_bt Photo



y7-81622_c Photo



y7-81622_l Photo

y7-81622_pkg Photo

.

y7-81622_pkgo Photo



Photo



Download-Center

- Dow nload-Center (this item) Eaton EVEA Dow nload-Center - dow nload data for this item
 Dow nload-Center
 - Eaton EVEA Download-Center

Generate data sheet in PDF format
 Generate data sheet in Excel format
 Generate data sheet in Excel format
 Write a comment
 Imprint Privacy Policy Legal Disclaimer Terms and Conditions
 © 2021 by Eaton Industries GmbH