




Environmental Product Declaration



Fuse Switch Disconnect

MICHAUD
MATÉRIEL ÉLECTRIQUE



MICHAUD rises to the challenge.

Environmental and societal changes call for a profound transformation of conventional models, with a strong capacity to adapt.

MICHAUD's historical roots lie in woodworking. Therefore, it is only natural that our family-run company has always been committed to a sustainable approach involving all the stakeholders in our activities.

The company's strategy is always aimed at sustaining and developing the human, environmental and economic assets of our ecosystem.

That's why, for decades, the company has been climbing the ladder of sustainable development, thanks to its teams who provide an innovative offering that connects everyone to electrical energy in the most sustainable conditions.

To ensure this, we were quick to frame our approach with appropriate certifications and membership of the Global Compact, supplemented by assessments by independent bodies.

Michaël JACQUOT




Summary

About the manufacturer	5
General information.....	6
Functional unit.....	6
Product Description	6
Substances, REACH – Very High Concern.....	10
Material Composition	10
K291 : SINGLE PHASE FSD 100A (22x58) PIERCING 6-95	11
K292 : SINGLE PHASE FSD 160A (NH00) PIERCING 6-95	12
L277 : SINGLE PHASE FSD 160A (NH 00) STRIPPING 6-120	13
K298 : DOUBLE PHASE FSD 160A (NH00) PIERCING 6-95	14
L278 : DOUBLE PHASE FSD 160A (NH00) STRIPPING 6-120.....	15
K293 : TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95	16
L284 : TRIPLE PHASE FSD 160A (NH00) STRIPPING 6-120	17
K296 : DOUBLE TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95	18
K294 : QUADRUPLE PHASE FSD 160A (NH00) PIERCING 6-95	19
L281 : QUADRUPLE PHASE FSD 160A (NH00) STRIPPING 6-120	20
Life cycle stages and reference scenarios	21
Key environmental performance indicators.....	22
K291 : SINGLE PHASE FSD 100A (22x58) PIERCING 6-95	23
K292 : SINGLE PHASE FSD 160A (NH00) PIERCING 6-95	24
L277 : SINGLE PHASE FSD 160A (NH 00) STRIPPING 6-120	25
K298 : DOUBLE PHASE FSD 160A (NH00) PIERCING 6-95	26
L278 : DOUBLE PHASE FSD 160A (NH00) STRIPPING 6-120.....	27
K293 : TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95	28
L284 : TRIPLE PHASE FSD 160A (NH00) STRIPPING 6-120	29
K296 : DOUBLE TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95	30
K294 : QUADRUPLE PHASE FSD 160A (NH00) PIERCING 6-95	31
L281 : QUADRUPLE PHASE FSD 160A (NH00) STRIPPING 6-120	32
Climate change	33
Legal Disclaimer	34


About the manufacturer

MICHAUD, an independent family-owned business for over 65 years, innovates to support the development and distribution of electricity for all.



The company, driven by strong human scale values, has contributed to the evolution of low-voltage energy distribution with significant innovations and advancements in every decade.

MICHAUD is committed to the energy transition and to the distribution of electricity for all by deploying innovative, connected, simple, and sustainable solutions that promote electric mobility, renewable energies, and energy efficiency.



General information

This environmental product declaration (EPD) is based on the international standard ISO 14021 (“Environmental labels and declarations – Self declared environmental claims – Type II environmental labelling”). The data in this EPD has been evaluated on a full-scale life cycle assessment (LCA) study according to ISO 14040/44.

Functional unit


The function is defined as one unit of the product over its entire lifespan, from raw materials extraction through manufacturing, distribution, and end-of-life disposal. The product under study requires no maintenance or intervention throughout its service life. The timeframe considered for this functional unit corresponds to the product’s expected lifespan, which remains consistent due to the absence of degradation or performance changes over time.

Product Description

Low voltage networks are usually structured in a star shape from the LV/MV transformer and are not looped.

A single short circuit could therefore make an entire network fail, creating customer service disruptions.

MICHAUD SOLUTION, A PROTECTION ON STRATEGIC POINTS:



A suitable earth system device enables the temporary fuse switch protection for work.

TWO TYPES OF PROTECTION:

Service protection



- Rating 100 or 160A.
- Fuse size 22x58 or NH00.
- Conductors section max 35, 95 or 120mm².
- Single phase FSD.

Network protection



- Rating 160A.
- Fuse size NH00.
- Conductors section max 95 or 120mm².
- Multi-phase FSD.
- Available in 2, 3, 4 and 6 poles.

THE BENEFITS:

- 50 up to 80% more economical than a circuit breaker.
- Strong solution, very little sensitive to charge imbalances.
- Solution available in single and three phases.



RANGE OF PRODUCTS COVERED BY THIS EPD:

Fuse Switch Disconnecter 100A - 95²



K291

Insulation piercing

This Fuse Switch Disconnecter (FSD) is a single phase device. It is installed at the top of pole or on wall. It protects the overhead connection supplying an individual customer and the low voltage network. It is designed to receive a neutral tube or a 100A maximum, size 22x58 fuse cartridge (according to the IEC 269-2.1 standard).

Fuse Switch Disconnecter 160A



K292
Insulation piercing



L277
Insulation stripping

This Fuse Switch Disconnecter (FSD) is a single phase device. It is installed at the top of pole or on wall. It protects the overhead connection supplying an individual customer and the low voltage network. It is designated to receive a 160A fuse cartridge or 240A maximum solid connecting link size 00 (according to the IEC 269-2.1 standard).

Fuse Switch Disconnecter double pole 160A



K298
Insulation piercing



L278
Insulation stripping

This Gang Fuse Switch Disconnecter (Gang FSD) is a multi-phase device. It is installed at the top of a pole or on wall. It protects the overhead connection supplying one or several multi-phase customers or the low voltage circuit of a pole mounted transformer. It is designed to receive 160A fuse cartridges or 240A solid connecting links, size 00 (according to the IEC 269-2.1 standard).

Fuse Switch Disconnecter triple pole 160A



K293
Insulation piercing



L284
Insulation stripping

This Gang Fuse Switch Disconnecter (FSD) is a multi-phase device. It is installed at the top of a pole or on wall.

It protects the overhead connection supplying one or more multi-phase customers or the low voltage circuit of a pole mounted transformer.

It is designed to receive 160A fuse cartridge or 240A solid connecting links, size 00 (according to the IEC 269-2.1 standard).

Fuse Switch Disconnecter double triple pole 160A (size 00)



K296
Insulation piercing

This Gang Fuse Switch Disconnecter (FSD) is a multi-phase device. It is installed at the top of a pole or on wall.

It protects the overhead connection supplying one or more multi-phase customers or the low voltage circuit of a pole mounted transformer.

It is designed to receive 160A fuse cartridge or 240A solid connecting links, size 00 (according to the IEC 269-2.1 standard).

Fuse Switch Disconnecter double triple pole 160A (size 00)



K294
Insulation piercing



L281
Insulation stripping

This Gang Fuse Switch Disconnecter (FSD) is a multi-phase device. It is installed at the top of a pole or on wall.

It protects the overhead connection supplying one or more multi-phase customers or the low voltage circuit of a pole mounted transformer.

It is designed to receive 160A fuse cartridge or 240A solid connecting links, size 00 (according to the IEC 269-2.1 standard).

See further information on: <https://www.michaud-export.com/group/wp-content/uploads/2024/10/Catalogue-BT-AN-2024-2025.pdf>


Substances, REACH – Very High Concern

The product does not contain any REACH SVHC substances in amounts greater than 0,1% (1000 ppm).

Material Composition

The following chart outlines the overall material composition of the calculated reference product.

K291: SINGLE PHASE FSD 100A (22x58) PIERCING 6-95




K291
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	35.36 %	EU / China
Minerals	17.25 %	EU
Fossil materials	39.73 %	EU
Wood, cardboard (packaging)	7.67 %	EU
Bio-based materials	-	-

Total weight of the product: 0.518kg

K292: SINGLE PHASE FSD 160A (NH00) PIERCING 6-95




K292
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	30.65 %	EU / China
Minerals	18.48 %	EU
Fossil materials	42.57 %	EU
Wood, cardboard (packaging)	8.29 %	EU
Bio-based materials	-	-

Total weight of the product: 0.479kg

L277: SINGLE PHASE FSD 160A (NH 00) STRIPPING 6-120




L277
Insulation stripping

Raw material category	Amount, mass- %	Material Origin
Metals	29.92 %	EU / China
Minerals	18.68 %	EU
Fossil materials	43.02 %	EU
Wood, cardboard (packaging)	8.38 %	EU
Bio-based materials	-	-

Total weight of the product: 0.474kg

K298: DOUBLE PHASE FSD 160A (NH00) PIERCING 6-95




K298
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	63.06 %	EU / China
Minerals	9.58 %	EU
Fossil materials	20.52 %	EU
Wood, cardboard (packaging)	6.83 %	EU
Bio-based materials	-	-

Total weight of the product: 2.109kg

L278: DOUBLE PHASE FSD 160A (NH00) STRIPPING 6-120




L278
Insulation stripping

Raw material category	Amount, mass- %	Material Origin
Metals	62.89 %	EU / China
Minerals	9.63 %	EU
Fossil materials	20.62 %	EU
Wood, cardboard (packaging)	6.87 %	EU
Bio-based materials	-	-

Total weight of the product: 2.099kg

K293: TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95




K293
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	56.09 %	EU / China
Minerals	11.04 %	EU
Fossil materials	24.18 %	EU
Wood, cardboard (packaging)	8.69 %	EU
Bio-based materials	-	-

Total weight of the product: 2.633kg

L284: TRIPLE PHASE FSD 160A (NH00) STRIPPING 6-120




L284
Insulation stripping

Raw material category	Amount, mass- %	Material Origin
Metals	55.84 %	EU / China
Minerals	11.10 %	EU
Fossil materials	24.32 %	EU
Wood, cardboard (packaging)	8.74 %	EU
Bio-based materials	-	-

Total weight of the product: 2.618kg

K296: DOUBLE TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95




K296
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	50.11 %	EU / China
Minerals	12.17 %	EU
Fossil materials	26.67 %	EU
Wood, cardboard (packaging)	11.04 %	EU
Bio-based materials	-	-

Total weight of the product: 4.774kg

K294: QUADRUPLE PHASE FSD 160A (NH00) PIERCING 6-95




K294
Insulation piercing

Raw material category	Amount, mass- %	Material Origin
Metals	51.88 %	EU / China
Minerals	12.11 %	EU
Fossil materials	26.86 %	EU
Wood, cardboard (packaging)	9.15 %	EU
Bio-based materials	-	-

Total weight of the product: 3.130kg

L281: QUADRUPLE PHASE FSD 160A (NH00) STRIPPING 6-120



L281
Insulation stripping

Raw material category	Amount, mass- %	Material Origin
Metals	51.57 %	EU / China
Minerals	12.19 %	EU
Fossil materials	27.03 %	EU
Wood, cardboard (packaging)	9.21 %	EU
Bio-based materials	-	-

Total weight of the product: 3.110kg

Life cycle stages and reference scenarios

 Manufacturing This stage covers the extraction of natural resources, production of raw materials, manufacturing, packaging, and transport.	 Distribution & Use This stage covers the product's distribution, use and maintenance. Different operating conditions can lead to deviations from the reference scenario.	 End-Of-Life This stage covers the disassembly or shredding and material recycling of all recyclable materials, as well as energy recovery, thermal treatment and the disposal of all other materials.
Scenarios		
Energy model used: China (standard mix) France (standard mix) Tunisia (standard mix) Transportation model: Sea freight 10 230km Truck (27t) 943km	Energy model used: Global (standard mix) Distribution scenario: Truck (27t) 300 km Product use & maintenance scenario: Not investigated as actions are not required during the product's lifespan.	Energy model used: EMEA End-of-life scenario: Truck 100 km

Key environmental performance indicators

The following impact categories characterise the product's environmental performance footprint. They have been calculated by the Bilan Produit® (Product Statement) tool furnished by the ADEME (Agence De l'Environnement et de la Maîtrise de l'Énergie which is the French Agency for Environment and Energy Management). It is a public institution of industrial and commercial nature (EPIC) created in 1991 and placed under the supervision of the Ministries of Higher Education, Research and Innovation, and Ecological and Solidarity Transition.

To ensure the high quality and completeness of the LCA results, Primary Data have been used whenever possible. Datasets for resources, such as electrical energy or natural gas, are chosen from the region where the product is produced or assembled. If primary data are not available, datasets reflecting state-of-the-art manufacturing technology are considered.

K291 : SINGLE PHASE FSD 100A (22x58) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	6,14E+00	5,37E+00	1,37E-01	6,32E-01
Climate change - Biogenic	kg CO ₂ eq	2,01E-03	1,76E-03	2,50E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	6,13E+00	5,37E+00	1,36E-01	6,32E-01
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	3,72E-02	3,61E-02	7,38E-04	3,21E-04
Ozone depletion	kg CFC 11 eq	8,97E-08	8,52E-08	4,46E-09	5,96E-12
Eutrophication, freshwater	kg P eq	1,10E-04	6,98E-05	2,86E-05	1,20E-05
Eutrophication, marine	kg N eq	8,63E-03	8,13E-03	2,85E-04	2,17E-04
Eutrophication, terrestrial	mole N eq	7,04E-02	6,61E-02	2,95E-03	1,37E-03
Photochemical ozone formation	kg NMVOC eq	1,97E-02	1,86E-02	6,22E-04	4,72E-04
Particulate matter	Disease incidences	4,98E-07	4,83E-07	1,14E-08	3,18E-09
Ionizing radiation, human health	kBq U235 eq	1,07E+01	1,07E+01	4,56E-02	7,25E-03
Resource use, fossils	MJ	1,00E+02	9,72E+01	2,58E+00	6,05E-01
Resource use, mineral and metals	kg Sb eq	2,86E-04	2,85E-04	3,24E-07	6,16E-08
Land use	dimensionless (pt)	1,69E+01	7,30E-01	1,62E+01	0,00E+00



K291
Insulation piercing

K292 : SINGLE PHASE FSD 160A (NH00) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	5.78E+00	5.08E+00	1.33E-01	5.70E-01
Climate change - Biogenic	kg CO ₂ eq	2.00E-03	1.75E-03	2,50E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	5.78E+00	5.07E+00	1.33E-01	5.70E-01
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	3.34E-02	3.23E-02	7.18E-04	2,91E-04
Ozone depletion	kg CFC 11 eq	8.81E-08	8.36E-08	4.46E-09	5.41E-12
Eutrophication, freshwater	kg P eq	1.08E-04	6.90E-05	2.86E-05	1.07E-05
Eutrophication, marine	kg N eq	8.06E-03	7.59E-03	2.75E-04	1.97E-04
Eutrophication, terrestrial	mole N eq	6.43E-02	6.03E-02	2.85E-03	1.24E-03
Photochemical ozone formation	kg NMVOC eq	1.82E-02	1,72E-02	6.02E-04	4.27E-04
Particulate matter	Disease incidences	4.58E-07	4.47E-07	1.12E-08	2.88E-09
Ionizing radiation, human health	kBq U235 eq	1.06E+01	1.06E+01	4.52E-02	6.53E-03
Resource use, fossils	MJ	9.70E+01	9.40E+01	2.53E+00	5.48E-01
Resource use, mineral and metals	kg Sb eq	1.74E-04	1.73E-04	3.13E-07	5.60E-08
Land use	dimensionless (pt)	1,69E+01	7.04E-01	1,62E+01	0,00E+00



K292
Insulation piercing

L277 : SINGLE PHASE FSD 160A (NH 00) STRIPPING 6-120

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	5,74E+00	5,04E+00	1,33E-01	5,61E-01
Climate change - Biogenic	kg CO ₂ eq	2,00E-03	1,75E-03	2,50E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	5,73E+00	5,04E+00	1,33E-01	5,61E-01
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	3,26E-02	3,15E-02	7,16E-04	2,87E-04
Ozone depletion	kg CFC 11 eq	8,91E-08	8,46E-08	4,46E-09	5,33E-12
Eutrophication, freshwater	kg P eq	1,08E-04	6,90E-05	2,86E-05	1,05E-05
Eutrophication, marine	kg N eq	7,98E-03	7,51E-03	2,74E-04	1,95E-04
Eutrophication, terrestrial	mole N eq	6,34E-02	5,94E-02	2,83E-03	1,22E-03
Photochemical ozone formation	kg NMVOC eq	1,80E-02	1,70E-02	6,00E-04	4,21E-04
Particulate matter	Disease incidences	4,49E-07	4,35E-07	1,12E-08	2,84E-09
Ionizing radiation, human health	kBq U235 eq	1,11E+01	1,11E+01	4,52E-02	6,44E-03
Resource use, fossils	MJ	9,82E+01	9,51E+01	2,52E+00	5,40E-01
Resource use, mineral and metals	kg Sb eq	1,39E-04	1,39E-04	3,12E-07	5,53E-08
Land use	dimensionless (pt)	1,69E+01	7,04E-01	1,62E+01	0,00E+00



L277
Insulation stripping

K298 : DOUBLE PHASE FSD 160A (NH00) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	2,38E+01	2,00E+01	1,95E-01	3,65E+00
Climate change - Biogenic	kg CO ₂ eq	3,81E-03	3,68E-03	1,25E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	2,38E+01	2,00E+01	1,95E-01	3,65E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	1,38E-01	1,35E-01	1,17E-03	1,81E-03
Ozone depletion	kg CFC 11 eq	2,34E-07	2,31E-07	2,50E-09	3,12E-11
Eutrophication, freshwater	kg P eq	2,35E-04	1,47E-04	1,44E-05	7,37E-05
Eutrophication, marine	kg N eq	3,56E-02	3,39E-02	5,59E-04	1,18E-03
Eutrophication, terrestrial	mole N eq	3,38E-01	3,25E-01	5,81E-03	7,73E-03
Photochemical ozone formation	kg NMVOC eq	8,77E-02	8,39E-02	1,12E-03	2,65E-03
Particulate matter	Disease incidences	1,43E-06	1,40E-06	1,48E-08	1,76E-08
Ionizing radiation, human health	kBq U235 eq	2,61E+01	2,61E+01	3,36E-02	2,87E-02
Resource use, fossils	MJ	2,93E+02	2,86E+02	3,11E+00	3,32E+00
Resource use, mineral and metals	kg Sb eq	4,66E-04	4,65E-04	6,11E-07	3,40E-07
Land use	dimensionless (pt)	1,38E-01	1,35E-01	1,17E-03	1,81E-03



K298
Insulation piercing

L278 : DOUBLE PHASE FSD 160A (NH00) STRIPPING 6-120

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	2,38E+01	1,99E+01	1,94E-01	3,63E+00
Climate change - Biogenic	kg CO ₂ eq	3,81E-03	3,68E-03	1,25E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	2,38E+01	1,99E+01	1,94E-01	3,63E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	1,36E-01	1,33E-01	1,16E-03	1,80E-03
Ozone depletion	kg CFC 11 eq	2,36E-07	2,33E-07	2,50E-09	3,11E-11
Eutrophication, freshwater	kg P eq	2,35E-04	1,47E-04	1,44E-05	7,33E-05
Eutrophication, marine	kg N eq	3,55E-02	3,37E-02	5,57E-04	1,17E-03
Eutrophication, terrestrial	mole N eq	3,36E-01	3,23E-01	5,78E-03	7,69E-03
Photochemical ozone formation	kg NMVOC eq	8,72E-02	8,35E-02	1,12E-03	2,63E-03
Particulate matter	Disease incidences	1,42E-06	1,39E-06	1,47E-08	1,76E-08
Ionizing radiation, human health	kBq U235 eq	2,72E+01	2,71E+01	3,35E-02	2,86E-02
Resource use, fossils	MJ	2,95E+02	2,89E+02	3,10E+00	3,31E+00
Resource use, mineral and metals	kg Sb eq	3,96E-04	3,95E-04	6,09E-07	3,39E-07
Land use	dimensionless (pt)	9,57E+00	1,48E+00	8,09E+00	0,00E+00



L278
Insulation stripping

K293 : TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	2,96E+01	2,51E+01	2,91E-01	4,19E+00
Climate change - Biogenic	kg CO ₂ eq	5,69E-03	5,44E-03	2,50E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	2,96E+01	2,51E+01	2,90E-01	4,19E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	1,71E-01	1,67E-01	1,71E-03	2,09E-03
Ozone depletion	kg CFC 11 eq	3,20E-07	3,15E-07	4,77E-09	3,66E-11
Eutrophication, freshwater	kg P eq	3,29E-04	2,16E-04	2,87E-05	8,43E-05
Eutrophication, marine	kg N eq	4,36E-02	4,15E-02	7,77E-04	1,36E-03
Eutrophication, terrestrial	mole N eq	4,02E-01	3,85E-01	8,09E-03	8,94E-03
Photochemical ozone formation	kg NMVOC eq	1,06E-01	1,01E-01	1,59E-03	3,06E-03
Particulate matter	Disease incidences	1,89E-06	1,85E-06	2,27E-08	2,04E-08
Ionizing radiation, human health	kBq U235 eq	3,67E+01	3,66E+01	6,45E-02	3,51E-02
Resource use, fossils	MJ	3,89E+02	3,80E+02	4,89E+00	3,86E+00
Resource use, mineral and metals	kg Sb eq	6,39E-04	6,38E-04	8,42E-07	3,96E-07
Land use	dimensionless (pt)	1,84E+01	2,18E+00	1,62E+01	0,00E+00



K293
Insulation piercing

L284 : TRIPLE PHASE FSD 160A (NH00) STRIPPING 6-120

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	2,94E+01	2,50E+01	2,90E-01	4,17E+00
Climate change - Biogenic	kg CO ₂ eq	5,69E-03	5,44E-03	2,50E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	2,94E+01	2,50E+01	2,89E-01	4,17E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	1,69E-01	1,65E-01	1,70E-03	2,08E-03
Ozone depletion	kg CFC 11 eq	3,23E-07	3,18E-07	4,77E-09	3,64E-11
Eutrophication, freshwater	kg P eq	3,29E-04	2,16E-04	2,87E-05	8,38E-05
Eutrophication, marine	kg N eq	4,34E-02	4,13E-02	7,73E-04	1,35E-03
Eutrophication, terrestrial	mole N eq	3,99E-01	3,82E-01	8,05E-03	8,89E-03
Photochemical ozone formation	kg NMVOC eq	1,05E-01	1,00E-01	1,58E-03	3,04E-03
Particulate matter	Disease incidences	1,86E-06	1,82E-06	2,26E-08	2,03E-08
Ionizing radiation, human health	kBq U235 eq	3,83E+01	3,82E+01	6,44E-02	3,48E-02
Resource use, fossils	MJ	3,92E+02	3,84E+02	4,87E+00	3,83E+00
Resource use, mineral and metals	kg Sb eq	5,35E-04	5,34E-04	8,38E-07	3,94E-07
Land use	dimensionless (pt)	1,84E+01	2,18E+00	1,62E+01	0,00E+00



L284
Insulation stripping

K296 : DOUBLE TRIPLE PHASE FSD 160A (NH00) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	5.29E+01	4.53E+01	5.40E-01	7.03E+00
Climate change - Biogenic	kg CO ₂ eq	1.13E-02	1.09E-02	4.07E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	5.28E+01	4.53E+01	5.40E-01	7.03E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	3.06E-01	2.99E-01	3.22E-03	3.54E-03
Ozone depletion	kg CFC 11 eq	6.07E-07	5.99E-07	7.87E-09	6.16E-11
Eutrophication, freshwater	kg P eq	6.19E-04	4.31E-04	4.69E-05	1.41E-04
Eutrophication, marine	kg N eq	7.73E-02	7.35E-02	1.44E-03	2.30E-03
Eutrophication, terrestrial	mole N eq	6.96E-01	6.66E-01	1.50E-02	1.52E-02
Photochemical ozone formation	kg NMVOC eq	1.85E-01	1,77E-01	2.96E-03	5.15E-03
Particulate matter	Disease incidences	3.52E-06	3.45E-06	4.264E-08	3.45E-08
Ionizing radiation, human health	kBq U235 eq	7.11E+01	7.09E+01	1.30E-01	5.47E-02
Resource use, fossils	MJ	7.28E+02	7.13E+02	9.24E+00	6.48E+00
Resource use, mineral and metals	kg Sb eq	1.22E-03	1.21E-03	1.51E-06	6.75E-07
Land use	dimensionless (pt)	3.07E+01	4.36E+00	2.64E+01	0,00E+00



K296
Insulation piercing

K294 : QUADRUPLE PHASE FSD 160A (NH00) PIERCING 6-95

Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	3.52E+1	3.02E+01	3.42E-01	4.71E+00
Climate change - Biogenic	kg CO ₂ eq	7.45E-3	7.19E-03	2,58E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	3.52E+1	3.02E+01	3.42E-01	4.71E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	2.04E-1	2.00E-01	2.04E-03	2,37E-03
Ozone depletion	kg CFC 11 eq	4.03E-7	3.98E-07	5.00E-09	4.19E-11
Eutrophication, freshwater	kg P eq	4.10E-4	2,85E-04	2,97E-05	9.49E-05
Eutrophication, marine	kg N eq	5.15E-2	4,91E-02	9.23E-04	1.54E-03
Eutrophication, terrestrial	mole N eq	4.65E-1	4.45E-01	9.63E-03	1.01E-02
Photochemical ozone formation	kg NMVOC eq	1.24E-1	1,18E-01	1.89E-03	3.45E-03
Particulate matter	Disease incidences	2.34E-6	2.29E-06	2.674E-08	2.32E-08
Ionizing radiation, human health	kBq U235 eq	4.73E+1	4.72E+01	7.73E-02	4.12E-02
Resource use, fossils	MJ	4.84E+2	4.74E+02	5.77E+00	4.38E+00
Resource use, mineral and metals	kg Sb eq	8.13E-4	8.11E-04	9.83E-07	4.52E-07
Land use	dimensionless (pt)	1.96E+1	2,89E+00	1,67E+01	0,00E+00



K294
Insulation piercing

L281 : QUADRUPLE PHASE FSD 160A (NH00) STRIPPING 6-120


Impact category	Unit	Total	Manufacturing	Distribution	End Of Life
Climate change	kg CO ₂ eq	3,50E+01	3,00E+01	3,41E-01	4,68E+00
Climate change - Biogenic	kg CO ₂ eq	7,45E-03	7,19E-03	2,58E-04	0,00E+00
Climate Change - Fossil	kg CO ₂ eq	3,50E+01	3,00E+01	3,40E-01	4,68E+00
Climate change - Land use and land use change	kg CO ₂ eq	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Acidification	mole H ⁺ eq	2,01E-01	1,96E-01	2,03E-03	2,35E-03
Ozone depletion	kg CFC 11 eq	4,08E-07	4,02E-07	5,00E-09	4,16E-11
Eutrophication, freshwater	kg P eq	4,09E-04	2,85E-04	2,97E-05	9,42E-05
Eutrophication, marine	kg N eq	5,12E-02	4,88E-02	9,18E-04	1,53E-03
Eutrophication, terrestrial	mole N eq	4,61E-01	4,42E-01	9,58E-03	1,01E-02
Photochemical ozone formation	kg NMVOC eq	1,23E-01	1,17E-01	1,88E-03	3,43E-03
Particulate matter	Disease incidences	2,31E-06	2,26E-06	2,66E-08	2,30E-08
Ionizing radiation, human health	kBq U235 eq	4,95E+01	4,93E+01	7,71E-02	4,08E-02
Resource use, fossils	MJ	4,89E+02	4,79E+02	5,75E+00	4,35E+00
Resource use, mineral and metals	kg Sb eq	6,74E-04	6,72E-04	9,78E-07	4,49E-07
Land use	dimensionless (pt)	1,96E+01	2,89E+00	1,67E+01	0,00E+00



L281
Insulation stripping

Climate change

These charts show the overall impact of the product on climate change – total. The Distribution & Use phase is the lifecycle phase with the biggest overall impact of the maintenance free reference product. Different operating conditions can lead to deviations from the reference scenario.



Legal Disclaimer

This Environmental Product Declaration (EPD) is for information purposes only. It is based upon the standards mentioned above. This EPD does not warrant or guarantee the composition of a product or that the product will retain a particular composition for a particular period. Therefore, all warranties, representations, conditions, and all other terms of any kind whatsoever implied by statute or common law are – to the fullest extent permitted by applicable law – excluded.

MICHAUD therefore does not assume any liability for any error or for any consequence which may arise from the use of this information to the maximum extent under the law.

Please be aware that the data of this EPD cannot be compared with data calculated based upon product category rules (PCRs) other than the standards mentioned above. The values given are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Subject to changes and errors.

The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification during further development of the products. In particular no assurance is given that those descriptions and performance features stand under warranty or guarantee in sense of any liability for any error or for any consequence which may arise from the use of this information to the maximum extent under the law. The requested performance features are binding only when they are expressly agreed upon in the concluded contract



www.michaud-export.com



499 rue du Revermont
ZAC La Cambuse
01440 VIRIAT
FRANCE

MICHAUD
MATÉRIEL ÉLECTRIQUE