

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



STO-SW - Rod operation



069608 STO-SW

[Overview](#) [Specifications](#) [Resources](#)



069608 STO-SW

Rod operation
 Alternate Catalog No.
 EL-Nummer (Norway)
 Accessories for float switch SW





CTX-STO-SWQ
 0004356153

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)
- [Dimensions](#)

Delivery program

Product range
 Accessories
 Basic function
 Rod operation kit
 Equipment supplied: 1 bracket
 3 Clamp rings
 1 Operating rod (insulating material, 120 cm)
 2 Hexagon nut (insulating material)

Notes

Pumping full:	Pumping dry:
Pivot point on left (state of delivery)	Fulcrum right
	
	
Case 1	Case 2

The actuation mechanism can either be connected to the float switch's actuation lever (configuration 1) or to the float (configuration 2). In configuration 1, the float drives the rod and the actuation lever. In configuration 2, the float and the rod drive the actuation lever. The latter configuration should especially be used in applications with sewage pumps.

Design verification as per IEC/EN 61439

Operating ambient temperature min.
 -25 °C
 Operating ambient temperature max.
 +70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Accessories for control circuit devices (EC002024)

Type of electrical accessory

Other

Type of mechanical accessory

Other

Dimensions



Rod operation:

Left: bracket

Right: operating rod

Dimensions single product

- [133X005](#)
Line drawing
Rod operation

Product photo

- 
[1330PIC-7](#)
Photo

3D drawing

- [132I003](#)
Line drawing
Pressure pipe flange
- [133I003](#)
Line drawing
Rod operation

Declaration of Conformity

EU

- [Float Switch \(DA-DC-00003567\)](#)
Asset
(PDF)


UK


- [Float Switch \(DA-DC-00003968\)](#)
Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center

 [Generate data sheet in PDF format](#)

 [Generate data sheet in Excel format](#)

 [Write a comment](#)

