

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



Powering Business Worldwide

H-B3-PKZ0 - Shroud for unused terminal, Protection against direct contact., For covering unused terminals on three-phase busbar link B3...-PKZ0



032721 H-B3-PKZ0

[Overview](#) [Specifications](#) [Resources](#)



032721 H-B3-PKZ0

Shroud for unused terminal, Protection against direct contact., For covering unused terminals on three-phase busbar link B3...-PKZ0

Alternate Catalog No.

XTPAXUTS

EL-Nummer (Norway)

4357199

Contact safe cover from unused connections on the three-phase busbar link for circuit-breaker frame size PKZ0

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)
- [Approvals](#)

Delivery program

Product range

Accessories

Accessories

Shroud for unused terminals

Protection against direct contact.

For covering unused terminals on three-phase commoning link B3...-PKZ0

Design verification as per IEC/EN 61439

Technical data for design verification

Rated operational current for specified heat dissipation [I_n]

0 A

Heat dissipation per pole, current-dependent [P_{vid}]

0 W

Equipment heat dissipation, current-dependent [P_{vid}]

0 W

Static heat dissipation, non-current-dependent [P_{vs}]

0 W

Heat dissipation capacity [P_{diss}]

0 W

Operating ambient temperature min.

-25 °C

Operating ambient temperature max.

+55 °C

IEC/EN 61439 design verification

10.2 Strength of materials and parts 10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.
 10.2 Strength of materials and parts 10.2.3.2 Verification of resistance of insulating materials to normal heat
 Meets the product standard's requirements.
 10.2 Strength of materials and parts 10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire due to internal electric effects
 Meets the product standard's requirements.
 10.2 Strength of materials and parts 10.2.4 Resistance to ultra-violet (UV) radiation
 Meets the product standard's requirements.
 10.2 Strength of materials and parts 10.2.5 Lifting
 Does not apply, since the entire switchgear needs to be evaluated.
 10.2 Strength of materials and parts 10.2.6 Mechanical impact
 Does not apply, since the entire switchgear needs to be evaluated.
 10.2 Strength of materials and parts 10.2.7 Inscriptions
 Meets the product standard's requirements.
 10.3 Degree of protection of ASSEMBLIES
 Does not apply, since the entire switchgear needs to be evaluated.
 10.4 Clearances and creepage distances
 Meets the product standard's requirements.
 10.5 Protection against electric shock
 Does not apply, since the entire switchgear needs to be evaluated.
 10.6 Incorporation of switching devices and components
 Does not apply, since the entire switchgear needs to be evaluated.
 10.7 Internal electrical circuits and connections
 Is the panel builder's responsibility.
 10.8 Connections for external conductors
 Is the panel builder's responsibility.
 10.9 Insulation properties 10.9.2 Power-frequency electric strength
 Is the panel builder's responsibility.
 10.9 Insulation properties 10.9.3 Impulse withstand voltage
 Is the panel builder's responsibility.
 10.9 Insulation properties 10.9.4 Testing of enclosures made of insulating material
 Is the panel builder's responsibility.
 10.10 Temperature rise
 Not applicable.
 10.11 Short-circuit rating
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.
 10.12 Electromagnetic compatibility
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.
 10.13 Mechanical function
 The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Accessories for low-voltage switch technology (EC002498)
 Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Component for low-voltage switch technology (accessories) (ecl@ss10.0.1-27-37-13-92 [AKN570013])

Type of accessory
 Cover

Approvals

Product Standards
 UL 508; CSA-C22.2 No. 14; IEC60947-4-1; CE marking
 UL File No.
 E36332
 UL Category Control No.
 NLRV
 CSA File No.
 98494
 CSA Class No.
 3211-06
 North America Certification
 UL listed, CSA certified
 Specially designed for North America
 No

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-h_b3_pkz0](#)
File
(Web)

edz files

- [DA-CE-ETN.H-B3-PKZ0](#)
File
(Web)


Step files

- [DA-CS-h_b3_pkz0](#)
File
(Web)

Additional product information

- [Motor starters and "Special Purpose Ratings" for the North American market](#)
(PDF)
- [Busbar Component Adapters for modern Industrial control panels](#)
(PDF)

3D drawing



[1211031](#)

Line drawing

Shroud for unused terminals

Product photo



[121A064](#)

Photo

Shroud for unused terminals

Declaration of Conformity

EU

- [FKZM01 \(DA-DC-00003627\)](#)
Asset
(PDF)
- [FKZM0 \(DA-DC-00003629\)](#)
Asset
(PDF)
- [FKZM0-T \(DA-DC-00004064\)](#)
Asset
(PDF)
- [FKZMC \(DA-DC-00004066\)](#)
Asset
(PDF)
- [FKE12 \(DA-DC-00004073\)](#)
Asset

- (PDF)
- [PKE32 \(DA-DC-00004074\)](#)
Asset
(PDF)
- [PKM0 \(DA-DC-00004075\)](#)
Asset
(PDF)
- [PKZM0 -EA \(DA-DC-00004076\)](#)
Asset
(PDF)
- [PKZM01 -EA \(DA-DC-00004077\)](#)
Asset
(PDF)
- [PKZM0...-SP32 Motor protection circuit breaker \(DA-DC-00004085\)](#)
Asset
(PDF)
- [PKZM0...-SP16 Motor protection circuit breaker \(DA-DC-00004086\)](#)
Asset
(PDF)
- [PKZM0 Motor Starter Combinations MSC frame size 2 \(DA-DC-00004106\)](#)
Asset
(PDF)
- [MSC Frame size 1 \(DA-DC-00004107\)](#)
Asset
(PDF)
- [MSC-DE Frame size 1 \(DA-DC-00004108\)](#)
Asset
(PDF)
- [PKE Motor Starter Combination MSC-D\(M\)E\(A\) Frame size 2 \(DA-DC-00004109\)](#)
Asset
(PDF)
- [Motor starter combination MSC-DM frame size 1 \(DA-DC-00004110\)](#)
Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



Generate data sheet in PDF format



Generate data sheet in Excel format



Write a comment

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2021 by Eaton Industries GmbH

