

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



NZMB-XIPK - Protection against contact with a finger, IP2X, 3p, size 3



266804 NZMB-XIPK

[Overview](#) [Specifications](#) [Resources](#)



## 266804 NZM3-XIPK

Protection against contact with a finger, IP2X, 3p, size 3

EL-Nummer (Norway)

4358891

Optional accessories for the circuit-breaker series NZM offers a comprehensive portfolio of application options for use world wide. The mounting is always flexible and easy thanks to the modular function groups. Notes: part no. contains parts for a terminal located at top or bottom for 3 or 4 pole switches. Enhancement of the busbar tag shroud to IP2X. Protection when reaching into the cable connection area with the connection of cables in the box terminal. with 2 conductors maximum cross-section 70mm<sup>2</sup>. cannot be combined with NZM-XSTK control circuit terminal. Can be used for: NZM3(-4), FN3(-4), N3(-4)

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)
- [Approvals](#)
- [Dimensions](#)

### Delivery program

Accessories

IP2X protection against contact with a finger

Number of conductors

3 pole

Accessories

IP2X protection against contact with finger

For use with

NZMB, FN3, N3

For use with

For box terminal

#### Notes

Type contains parts for a terminal located at top or bottom for 3 or 4-pole circuit-breakers.

Enhancement of the protection against direct contact to IP2X.

Protection when reaching into the cable connection area with the connection of cables in the box terminal.

With 2 conductors maximum cross-section 70mm<sup>2</sup>.

Cannot be combined with NZM-XSTK control circuit terminal.

### Design verification as per IEC/EN 61439

IEC/EN 61439 design verification

10.2 Strength of materials and parts 10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.2 Verification of resistance of insulating materials to normal heat

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire

due to internal electric effects  
 Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.4 Resistance to ultra-violet (UV) radiation  
 Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.5 Lifting  
 Does not apply, since the entire switchgear needs to be evaluated.

10.2 Strength of materials and parts 10.2.6 Mechanical impact  
 Does not apply, since the entire switchgear needs to be evaluated.

10.2 Strength of materials and parts 10.2.7 Inscriptions  
 Meets the product standard's requirements.

10.3 Degree of protection of ASSEMBLIES  
 Does not apply, since the entire switchgear needs to be evaluated.

10.4 Clearances and creepage distances  
 Meets the product standard's requirements.

10.5 Protection against electric shock  
 Does not apply, since the entire switchgear needs to be evaluated.

10.6 Incorporation of switching devices and components  
 Does not apply, since the entire switchgear needs to be evaluated.

10.7 Internal electrical circuits and connections  
 Is the panel builder's responsibility.

10.8 Connections for external conductors  
 Is the panel builder's responsibility.

10.9 Insulation properties 10.9.2 Power-frequency electric strength  
 Is the panel builder's responsibility.

10.9 Insulation properties 10.9.3 Impulse withstand voltage  
 Is the panel builder's responsibility.

10.9 Insulation properties 10.9.4 Testing of enclosures made of insulating material  
 Is the panel builder's responsibility.

10.10 Temperature rise  
 The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.

10.11 Short-circuit rating  
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.12 Electromagnetic compatibility  
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.13 Mechanical function  
 The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.


## Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Phase separation plate for power circuit breaker (EC002035)  
 Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Phase separation plate for circuit breaker (ecl@ss10.0.1-27-37-04-25 [ACN959011])  
 Model  
 Other

## Approvals

North America Certification  
 UL/CSA certification not required

## Dimensions



## CAD data

- [Product-specific CAD data](#)  
(Web)
- [3D Preview](#)  
(Web)

## DWG files


- [DA-CD-nzm3\\_xipk](#)

File  
(Web)

## Step files

- [DA-CS-nzm3\\_xipk](#)  
File  
(Web)

## Dimensions single product



123X340

Line drawing  
Box terminal

## 3D drawing



123I099

Line drawing  
Finger protection for box terminals

## Product photo



1230PIC-1384

Photo

## Instruction Leaflet


- [NZM\(-4\)-XIP\(K\)\(A\) \(IL01219008Z\)](#)  
IL01219008Z  
(PDF, 05/2021, Language independent)

## Download-Center

- [Download-Center \(this item\)](#)  
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)  
Eaton EMEA Download-Center

 [Generate data sheet in PDF format](#)

 [Generate data sheet in Excel format](#)

 [Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH