

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



NZM3-XAVPR - Cover, 4.pole for remote operator



266678 NZM3-XAVPR

[Overview](#) [Specifications](#) [Resources](#)



## 266678 NZM3-XAVPR

Cover, 4.pole for remote operator

EL-Nummer (Norway)

4359017

Optional accessories for the circuit-breaker series NZM offers a comprehensive portfolio of application options for use world wide. The mounting is always flexible and easy thanks to the modular function groups. Notes: additional shroud for mounting the NZM2-XR.. and NZM3-XR.. on a 4 pole switch. Can be used for NZM3-4, N3-4

- Delivery program

Design verification as per IEC/EN 61439

- Technical data ETIM 7.0

- Dimensions

### Delivery program

Product range

Accessories

Accessories

Remote operator

Standard/Approval

IEC

Construction size

NZM3

Description

Additional shroud for mounting the NZM3-XR.. on a 4 pole switch

Number of poles

4 pole

For use with

NZM3-4

N3-4

### Design verification as per IEC/EN 61439

IEC/EN 61439 design verification

10.2 Strength of materials and parts 10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.

10.2 Strength of materials and parts 10.2.3.2 Verification of resistance of insulating materials to normal heat

Meets the product standard's requirements.  
 10.2 Strength of materials and parts 10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire due to internal electric effects  
 Meets the product standard's requirements.  
 10.2 Strength of materials and parts 10.2.4 Resistance to ultra-violet (UV) radiation  
 Meets the product standard's requirements.  
 10.2 Strength of materials and parts 10.2.5 Lifting  
 Does not apply, since the entire switchgear needs to be evaluated.  
 10.2 Strength of materials and parts 10.2.6 Mechanical impact  
 Does not apply, since the entire switchgear needs to be evaluated.  
 10.2 Strength of materials and parts 10.2.7 Inscriptions  
 Meets the product standard's requirements.  
 10.3 Degree of protection of ASSEMBLIES  
 Does not apply, since the entire switchgear needs to be evaluated.  
 10.4 Clearances and creepage distances  
 Meets the product standard's requirements.  
 10.5 Protection against electric shock  
 Does not apply, since the entire switchgear needs to be evaluated.  
 10.6 Incorporation of switching devices and components  
 Does not apply, since the entire switchgear needs to be evaluated.  
 10.7 Internal electrical circuits and connections  
 Is the panel builder's responsibility.  
 10.8 Connections for external conductors  
 Is the panel builder's responsibility.  
 10.9 Insulation properties 10.9.2 Power-frequency electric strength  
 Is the panel builder's responsibility.  
 10.9 Insulation properties 10.9.3 Impulse withstand voltage  
 Is the panel builder's responsibility.  
 10.9 Insulation properties 10.9.4 Testing of enclosures made of insulating material  
 Is the panel builder's responsibility.  
 10.10 Temperature rise  
 The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.  
 10.11 Short-circuit rating  
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.  
 10.12 Electromagnetic compatibility  
 Is the panel builder's responsibility. The specifications for the switchgear must be observed.  
 10.13 Mechanical function  
 The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## Technical data ETIM 7.0


Low-voltage industrial components (EG000017) / Phase separation plate for power circuit breaker (EC002035)  
 Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Phase separation plate for circuit breaker (ecl@ss10.0.1-27-37-04-25 [ACN959011])

Model  
 Other

## Dimensions



## Dimensions single product



123X196

Line drawing

Padlock



123X498

Line drawing

Remote operator

## Product photo



1230PIC-732  
Photo

## Instruction Leaflet

- [NZM0/3 XHIV \(IL012141ZU\)](#)  
IL012141ZU  
(PDF, 03/20, Language independent)

## Download-Center

- [Download-Center \(this item\)](#)  
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)  
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

