# United States Select your location Search parts, catalogs Sign in We make what matters work\* Products Digital Services Markets Support Company Search Toggle Mobile Menu Search Search

#### **Products**

# Close Search

- Actuators and motion control
- Backup power, UPS, surge & IT power distribution
- Clutches and brakes
- Conduit, cable & wire management
- Cylinders
- Differentials
- <u>Ducting solutions</u>
- Electrical circuit protection
- Electric vehicles and EV charging
- <u>Electronic components</u>
- Enclosures
- Energy storage systems
- Engine solutions
- Filtration solutions
- Fuel systems, emissions and components
- <u>Furniture</u>
- Golf grips
- Hose, tubing, fittings and connectors
- Hydraulic motors and generators
- Hydraulic power packs and accumulators
- <u>Industrial controls, drives, automation and sensors</u>
- <u>Life support systems</u>
- Lighting and controls
- <u>Low-voltage power distribution & control systems</u>
- Medium-voltage power distribution & control systems
- Plastics
- Process safety, automation, test and measurement
- <u>Pumps</u>
- Residential
- Safety, security & emergency communications
- Server racks, enclosures & airflow management
- <u>Support systems</u>
- <u>Transmissions</u>
- <u>Utility & grid solutions</u>
- <u>Valves</u>
- Wiring devices & connectivity

#### **Digital**

#### Close Search

- Brightlayer Experience Hub
- Explore our digital catalog
- <u>Discover Brightlayer</u>
- Understanding Industry 4.0

#### • For developers

#### **Services**

Close Search

#### Markets

#### Close Search

- Aerospace
- Buildings
- Data centers
- <u>Eaton Experience Centers</u>
- Food and beverage
- Government and military
- <u>Healthcare</u>
- Machine building
- Marine
- Mining, metals and minerals
- Oil and gas
- Rail
- Renewables
- Residential
- <u>Utilities</u>
- <u>Vehicles</u>

# Support

#### Close Search

- Contact technical support
- <u>Download center</u>
- How to buy
- Terms and conditions
- Tools
- Training and education
- Warranty and returns

## Company

# Close Search

- Overview
- About us
- News & insights
- <u>Careers</u>
- <u>Investor relations</u>
- Research & development
- Corporate governance
- Sustainability
- Inclusion & diversity
- Ethics & compliance
- Partnering with Eaton
- Selling to Eaton

#### **MyEaton**

Close Search

# Quick links

000

Digital NZM Molded Case Circuit Breaker 285604

# Overview Specifications Resources Technical support Back to search Download Zoom Photo is representative

# 285604

Download Zoom


Eaton Moeller series NZM - Molded Case Circuit Breaker. Current transformer for earth-leakage circuit-breaker inner diameter 210mm Add a free sample to the cart Contact me about this product



# **Products cannot be sold together**

Products in your cart cannot be sold together in one transaction. Please choose to either keep your existing cart, or create a new cart with this product.

You can purchase your products in separate transactions.



# Item is already in the cart.



Photo is representative

#### Designed to work together

Discover other Eaton products and accessories built to enhance this product.

• <u>266030</u>

266030

Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 1000A BG4

• <u>189668</u>

189668

NZMH4-4-PX1000/VAR-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 4p, variable, Screw terminal, withdrawable unit

• <u>283221</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4p 800 A <u>283225</u> 283225 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4 pole 1000/630 A <u>266029</u> 266029 Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 800A BG4 265922 265922 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 800A, 500A in 4th pole, H4-4-AE800/500 179325 179325 Eaton Moeller series NZM - Molded Case Circuit Breaker. Molded Case Switch 4p 800A 1000VDC UL 265928 265928 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 1250A, 800A in 4th pole, H4-4-AE1250/800 <u>265919</u> 265919 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 1600A, 1000A in 4th pole, N4-4-AE1600/1000 • <u>112016</u> 112016 Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Switch-disconnector, 4 p, 800A, frame size 4 <u>189663</u> 189663

NZMN4-4-PX1000/VAR-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 4p, variable, Screw terminal, withdrawable unit

• <u>265988</u>

265988

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 800A, 500A in 4th pole, H4-4-VE800/500

<u>189676</u>

NZMH4-4-PX630/VAR-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 630A, 4p, variable, Screw terminal, earth-fault protection, ARMS and zone selectivity, withdrawable unit
<u>283231</u>
283231
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4p 1600/ 1000 A
<u>191437</u>
191437
NZMN4-4-AX1600. NZM4 PXR10 circuit breaker, 1600A, 4p, screw terminal
<u>283129</u>
283129
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 3p 800 A, AE800
<u>189638</u>
189638
NZMH4-PX1000-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 3p, Screw terminal, earth-fault protection, ARMS and zone selectivity
<u>265758</u>
265758
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 630A, busbar terminal for CU N, frame 4, AE630
<u>265764</u>
265764
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 800A, H, frame 4, AE800
<u>191458</u>
191458
NZMH4-MX875. NZM4 PXR20 circuit breaker, 875A, 3p, screw terminal
<u>191419</u>
191419
NZMN4-AX800. NZM4 PXR10 circuit breaker, 800A, 3p, screw terminal
<u>191422</u>
191422
NZMN4-AX1600. NZM4 PXR10 circuit breaker, 1600A, 3p, screw terminal
<u>191429</u>
191429

•	<u>290376</u>
•	290376 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 800A 1000V, VE800-S1 283212
•	283212 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 3p 1600 A, AE  189625
•	189625 NZMN4-PX1600-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1600A, 3p, Screw terminal, withdrawable unit 189686
•	189686  NZMH4-PMX1400. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1400A, 3p, Screw terminal  189610
•	189610 NZMH4-PX1600. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1600A, 3p, Screw terminal  189632
•	NZMN4-PX800-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 800A, 3p, Screw terminal, earth-fault protection, ARMS and zone selectivity  111962
•	111962 Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 500A, 230A, in 4th pole  110879
•	110879 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, withdrawable unit, H3-4-AE630-AVE  109692
•	109692 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 500A  113583
	113583 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 500A, 320A in 4th pole, withdrawable unit, H3-4-A500/320-AVE

• <u>150400</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, selectivity protection, +earth-fault protection, H

• <u>110909</u>

110909

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, 400A in 4th pole, H3-4-AE630/400-T

• 113592

113592

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, 250A in 4th pole, withdrawable unit, H3-4-VE400/250-AVE

• 111651

111651

Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 400A terminals

• <u>110874</u>

110874

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, withdrawable unit, N3-4-AE400-AVE

• <u>113535</u>

113535

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, 250A in 4th pole, withdrawable unit, N3-4-A400/250-AVE

• <u>116470</u>

116470

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 400A, C, 3

• <u>111961</u>

111961

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 400A, 250A, in 4th pole, C, 3

• <u>265891</u>

265891

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, N3-4-AE400

• <u>113534</u>

113534

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, withdrawable unit, N3-4-A400-AVE

• <u>192281</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. NZM3 PXR25 circuit breaker - integrated energy measurement class 1, 400A, 4p, variable, Screw terminal, S, 3

• <u>110904</u>

110904

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, N3-4-AE630-T

• <u>116471</u>

116471

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 500A, C, 3

191381

191381

Eaton Moeller series NZM - Molded Case Circuit Breaker. NZM3 PXR20 circuit breaker, 400A, 4p, variable, withdrawable unit, H, 3

265809

265809

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 125A, B, frame1, 4-A125

• <u>111914</u>

111914

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 80A, fixed mounted design

• <u>111874</u>

111874

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 80A, B, 1

# Go to Previous Item Go to Next Item

• <u>266030</u>

266030

Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 1000A BG4

• <u>189668</u>

189668

NZMH4-4-PX1000/VAR-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 4p, variable, Screw terminal, withdrawable unit

• <u>283221</u>

283221

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4p 800 A

• <u>283225</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4 pole 1000/630 A

266029

266029

Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 800A BG4

• 265922

265922

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 800A, 500A in 4th pole, H4-4-AE800/500

• 179325

179325

Eaton Moeller series NZM - Molded Case Circuit Breaker. Molded Case Switch 4p 800A 1000VDC UL

• <u>265928</u>

265928

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 1250A, 800A in 4th pole, H4-4-AE1250/800

• <u>265919</u>

265919

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 1600A, 1000A in 4th pole, N4-4-AE1600/1000

• <u>112016</u>

112016

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Switch-disconnector, 4 p, 800A, frame size 4

• <u>189663</u>

189663

NZMN4-4-PX1000/VAR-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 4p, variable, Screw terminal, withdrawable unit

265988

265988

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 800A, 500A in 4th pole, H4-4-VE800/500

• <u>189676</u>

189676

NZMH4-4-PX630/VAR-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 630A, 4p, variable, Screw terminal, earth-fault protection, ARMS and zone selectivity, withdrawable unit

• <u>283231</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 4p 1600/1000 A

191437

191437

NZMN4-4-AX1600. NZM4 PXR10 circuit breaker, 1600A, 4p, screw terminal

283129

283129

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 3p 800 A, AE800

• 189638

189638

NZMH4-PX1000-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1000A, 3p, Screw terminal, earth-fault protection, ARMS and zone selectivity

• <u>265758</u>

265758

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 630A, busbar terminal for CU N, frame 4, AE630

265764

265764

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 800A, H, frame 4, AE800

• <u>191458</u>

191458

NZMH4-MX875. NZM4 PXR20 circuit breaker, 875A, 3p, screw terminal

• <u>191419</u>

191419

NZMN4-AX800. NZM4 PXR10 circuit breaker, 800A, 3p, screw terminal

• 191422

191422

NZMN4-AX1600. NZM4 PXR10 circuit breaker, 1600A, 3p, screw terminal

• <u>191429</u>

191429

NZMN4-MX875. NZM4 PXR20 circuit breaker, 875A, 3p, screw terminal

290376

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 3p, 800A 1000V, VE800-S1
<u>283212</u>
283212
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breakers 3p 1600 A, AE
<u>189625</u>
189625
NZMN4-PX1600-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1600A, 3p, Screw terminal, withdrawable unit
<u>189686</u>
189686
NZMH4-PMX1400. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1400A, 3p, Screw terminal
<u>189610</u>
189610
NZMH4-PX1600. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 1600A, 3p, Screw terminal
<u>189632</u>
189632
NZMN4-PX800-TAZ-AVE. NZM4 PXR25 circuit breaker - integrated energy measurement class 1, 800A, 3p, Screw terminal, earth-fault protection, ARMS and zone selectivity
<u>111962</u>
111962
Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 500A, 230A, in 4th pole
<u>110879</u>
110879
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, withdrawable unit, H3-4-AE630-AVE
109692
109692
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 500A
<u>113583</u>
113583
Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 500A, 320A in 4th pole, withdrawable unit, H3-4-A500/320-AVE
<u>150400</u>

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, selectivity protection, +earth-fault protection, H

• 110909 110909 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, 400A in 4th pole, H3-4-AE630/400-T 113592 113592 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, 250A in 4th pole, withdrawable unit, H3-4-VE400/250-**AVE** • 111651 111651 Eaton Moeller series NZM - Molded Case Circuit Breaker. Switch-disconnector 4p 400A terminals <u>110874</u> 110874 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, withdrawable unit, N3-4-AE400-AVE 113535 113535 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, 250A in 4th pole, withdrawable unit, N3-4-A400/250-AVE • <u>116470</u> 116470 Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 400A, C, 3 111961 111961 Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 400A, 250A, in 4th pole, C, 3 265891 265891 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, N3-4-AE400 • <u>113534</u> 113534 Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 400A, withdrawable unit, N3-4-A400-AVE 192281 192281 Eaton Moeller series NZM - Molded Case Circuit Breaker. NZM3 PXR25 circuit breaker - integrated energy measurement class 1, 400A, 4p,

12/17

variable, Screw terminal, S, 3

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 630A, N3-4-AE630-T

116471

116471

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 500A, C, 3

• <u>191381</u>

191381

Eaton Moeller series NZM - Molded Case Circuit Breaker. NZM3 PXR20 circuit breaker, 400A, 4p, variable, withdrawable unit, H, 3

• <u>265809</u>

265809

Eaton Moeller series NZM - Molded Case Circuit Breaker. Circuit-breaker, 4p, 125A, B, frame1, 4-A125

• <u>111914</u>

111914

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 80A, fixed mounted design

• <u>111874</u>

111874

Eaton Moeller series Power Defense - Molded Case Circuit Breaker. Circuit-breaker, 4 p, 80A, B, 1

# View more View less

- General specifications
- Product specifications

# General specifications

Product Name

Eaton Moeller series NZM release

Catalog Number

285604

Model Code

PFR-W-210

EAN

4015082856045

Product Length/Depth

325 mm

Product Height

 $55\,\mathrm{mm}$ 

Product Width

305 mm

Product Weight

1.033 kg

Compliances

RoHS conform

Certifications

IEC

#### **Product specifications**

10.11 Short-circuit rating

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

Frame

NZM1/2/3/4

Power on-delay time - min

Rated control supply voltage (Us) at AC, 50 Hz - min

0 V

 $0 \, \mathrm{ms}$ 

10.4 Clearances and creepage distances

Meets the product standard's requirements.

10.12 Electromagnetic compatibility

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

Mounting Method

Incl. fixing clip for DIN-rail mounting

Transformer opening diameter

210 mm

10.2.5 Lifting

Does not apply, since the entire switchgear needs to be evaluated.

Rated fault current - max

10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.

Rated control supply voltage (Us) at DC - min

10.2.3.2 Verification of resistance of insulating materials to normal heat

Meets the product standard's requirements.

Rated control supply voltage (Us) at AC, 50 Hz - max

10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects

Meets the product standard's requirements.

10.8 Connections for external conductors

Is the panel builder's responsibility.

Voltage rating

690 V AC 50/60 Hz

10.9.2 Power-frequency electric strength

Is the panel builder's responsibility.

Special features

In combination with PFR residual current relay not UL/CSA approved

Rated control supply voltage (Us) at AC, 60 Hz - min

10.7 Internal electrical circuits and connections

Is the panel builder's responsibility.

Power on-delay time - max

 $0 \, \mathrm{ms}$ 

10.10 Temperature rise

The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.

Rated control supply voltage (Us) at DC - max

10.9.3 Impulse withstand voltage

Is the panel builder's responsibility.

Accessory Earth-fault releases, transformer Voltage release

10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.6 Incorporation of switching devices and components

Does not apply, since the entire switchgear needs to be evaluated.

10.2.4 Resistance to ultra-violet (UV) radiation

Meets the product standard's requirements.

10.2.7 Inscriptions

Meets the product standard's requirements.

10.5 Protection against electric shock

Does not apply, since the entire switchgear needs to be evaluated.

Rated control supply voltage (Us) at AC, 60 Hz - max

 $0\,\mathrm{V}$ 

Rated operating voltage (Ue) - max

JV

Voltage rating of relay contact

690 V (50/60 Hz)

10.13 Mechanical function

The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

10.2.6 Mechanical impact

Does not apply, since the entire switchgear needs to be evaluated.

10.9.4 Testing of enclosures made of insulating material

Is the panel builder's responsibility.

is the paner bunder's responsible

Rated fault current - min

) A

10.3 Degree of protection of assemblies

Does not apply, since the entire switchgear needs to be evaluated.

Serial Number Verified:

Authenticated:

The product is verified as being authentic; however, this does not guarantee the condition or fit for purpose of the product.

#### **Brochures**

- eaton-feerum-the-whole-grain-solution-success-story-en-us.pdf
- eaton-digital-nzm-brochure-br013003en-en-us.pdf

Download all files

# **Catalogs**

• eaton-digital-nzm-catalog-ca013003en-en-us.pdf

# **Certification reports**

• DA-DC-03 PFR

# **Drawings**

- eaton-circuit-breaker-transformer-nzm-dimensions-005.eps
- eaton-circuit-breaker-transformer-nzm-3d-drawing.eps

Download all files

# eCAD model

• DA-CE-ETN.PFR-W-210

#### **Installation instructions**

• IL01219036Z

# **Installation videos**

- The new digital NZM Range
- Introduction of the new digital circuit breaker NZM

#### mCAD model

- <u>DA-CS-pfr w 210</u>
- <u>DA-CD-pfr w 210</u>

Download all files

## **Technical data sheets**

• eaton-nzm-technical-information-sheet

# **Export product specification**

•

# Technical support



Enter your city, state, or zip code or Locate m

City, state

# Search

Show locations that offer:

Product pickup

Order online and ship product

285604



Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power—today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we're accelerating the planet's transition to renewable energy and helping to solve the world's most urgent power management challenges.

Company

- About us
- <u>Careers</u>
- Inclusion and Diversity
- Investor relations
- Sustainability
- News and insights
- Slavery and human trafficking statement

#### Quick links

- Sign in
- Support
- Policies and statements
- Terms and conditions
- Responsible sourcing of conflict minerals
- Subscribe to emails

#### Let's talk big ideas

- •
- .
- •

# View all social media

- <u>Sitemap</u>
- Privacy, cookies & data protection policy
- Do not sell my data request (CCPA and other states)

© 2023 Eaton. All Rights Reserved.

Back to top of the page

Are you sure?

Cancel Sign out

Are you sure?

Cancel Sign out

×

×