

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English




IZMX-CAS403-2500-1 - Cassette 2500A, IZMX403 without control cable connection



183946 IZMX-CAS403-2500-1

[Overview](#) [Specifications](#) [Resources](#)



183946 IZMX-CAS403-2500-1

Cassette 2500A, IZMX403 without control cable connection

Alternate Catalog No. 67C2752A51

EL-Nummer (Norway) 4398355

Accessories, Cassettes, Equipment supplied: arcing chamber cover, Installation type Withdrawable, Rated current In 2500 A, Pole 3, For use with IZMX40...3-...W, INX40...3-...W

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)
- [Dimensions](#)

Delivery program

Product range
Accessories
Accessories
Withdrawable units
Accessories
Cassettes
Equipment supplied: arcing chamber cover
Rated current [I_n]
2500 A
Pole
3
For use with
IZMX40...3-...W
INX40...3-...W

Instructions

Without terminal blocks for the control circuit terminals.
Please order the required quantity separately.
Information about equipment supplied
with arcing chamber cover
Installation type
Withdrawable

Design verification as per IEC/EN 61439


Operating ambient temperature min.

-25 °C
Operating ambient temperature max.
+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)
Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss10.0.1-27-37-04-22 [ACN955011])
Rated current I_n
2500 A
Number of poles
3
Version as busbar adapter
No
Version as built-in device
Yes
Type of electrical connection of main circuit
Rail connection

Dimensions



Contact surface flange terminal

CAD data

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-izmx40_cas](#)
File
(Web)

edz files

- [DA-CE-ETN.IZMX-CAS403-2500-1](#)
File
(Web)

Step files

- [DA-CS-izmx40_cas](#)
File
(Web)

Product photo



1230PIC-1229
Photo


3D drawing



1230DRV-982

Line drawing

Dimensions single product



1230DIM-403

Line drawing

Door

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

