

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



IZMX-CAS403-2500-SEC-1 - Cassette 2500A, IZMX403 m control cable connection



183947 IZMX-CAS403-2500-SEC-1

[Overview](#) [Specifications](#) [Resources](#)



183947 IZMX-CAS403-2500-SEC-1

Cassette 2500A, IZMX403 m control cable connection

Alternate Catalog No.

67C2752A51

EL-Nummer (Norway)

4398356

Accessories, Cassettes, Equipment supplied: arcing chamber cover, terminal blocks fully populated, Installation type Withdrawable, Rated current In 2500 A, Pole 3, For use with IZMX40...3-...W, INX40...3-...W, Control circuit terminal

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)
- [Dimensions](#)

Delivery program

Product range

Accessories

Accessories

Withdrawable units

Accessories

Cassettes

Equipment supplied: arcing chamber cover, terminal blocks fully populated

Rated current [I_n]

2500 A

Pole

3

For use with

IZMX40...3-...W

INX40...3-...W

Instructions

With control conductor terminals fully fitted.

Information about equipment supplied

with arcing chamber cover

Control circuit terminal

Installation type

Withdrawable

Design verification as per IEC/EN 61439


Operating ambient temperature min.

-25 °C
Operating ambient temperature max.
+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)
Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss10.0.1-27-37-04-22 [ACN955011])
Rated current I_n
2500 A
Number of poles
3
Version as busbar adapter
No
Version as built-in device
Yes
Type of electrical connection of main circuit
Rail connection

Dimensions



Contact surface flange terminal

CAD data

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-izmx40_cas](#)
File
(Web)

edz files

- [DA-CE-ETN.IZMX-CAS403-2500-SEC-1](#)
File
(Web)

Step files

- [DA-CS-izmx40_cas](#)
File
(Web)

Product photo



1230PIC-1230
Photo


3D drawing



1230DRV-982

Line drawing

Dimensions single product



1230DIM-403

Line drawing

Door

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH