

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



IZMX-CAS404-3200-SEC-1 - Cassette 3200A, IZMX404 m control cable connection



183965 IZMX-CAS404-3200-SEC-1

[Overview](#) [Specifications](#) [Resources](#)



183965 IZMX-CAS404-3200-SEC-1

Cassette 3200A, IZMX404 m control cable connection

Alternate Catalog No.

67C2762A51

EL-Nummer (Norway)

4398374

Accessories, Cassettes, Equipment supplied: arcing chamber cover, terminal blocks fully populated, Installation type Withdrawable, Rated current In 3200 A, Pole 4, For use with IZMX40...4...W, INX40...4...W, Control circuit terminal

- Delivery program

Design verification as per IEC/EN 61439

- Technical data ETIM 7.0

- Dimensions

Delivery program

Product range

Accessories

Accessories

Withdrawable units

Accessories

Cassettes

Equipment supplied: arcing chamber cover, terminal blocks fully populated

Rated current [I_r]

3200 A

Pole

4

For use with

IZMX40...4...W

INX40...4...W

Instructions

With control conductor terminals fully fitted.

Information about equipment supplied

with arcing chamber cover

Control circuit terminal

Installation type

Withdrawable

Design verification as per IEC/EN 61439

Operating ambient temperature min.

-25 °C

Operating ambient temperature max.

+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss10.0.1-27-37-04-22 [ACN955011])

Rated current In

3200 A

Number of poles

4

Version as busbar adapter

No


Version as built-in device

Yes

Type of electrical connection of main circuit

Rail connection

Dimensions



Contact surface flange terminal

CAD data

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-izmx40_cas4](#)
File
(Web)

edz files

- [DA-CE-ETN.IZMX-CAS404-3200-SEC-1](#)
File
(Web)

Step files


- [DA-CS-izmx40_cas4](#)
File
(Web)

Product photo



[1230PIC-1232](#)
Photo


3D drawing



[1230DRV-982](#)

Line drawing

Dimensions single product

- 
1230DIM-403
Line drawing
 Door

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center

 [Generate data sheet in PDF format](#)

 [Generate data sheet in Excel format](#)

 [Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH