

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English



Powering Business Worldwide

IZMX-CS40-1 - Signalling switch, circuit-breaker position, 1W, right or left



184196 IZMX-CS40-1

[Overview](#) [Specifications](#) [Resources](#)



184196 IZMX-CS40-1

Signalling switch, circuit-breaker position, 1W, right or left

Alternate Catalog No.

65A2788G31

EL-Nummer (Norway)

4398539

Accessories, Position signalling switches, One changeover contact each for the Disconnected, Test, and Connected positions., for fitting to left or right, Installation type Withdraw able, For use with IZMX-CAS40...

- Delivery program
- Technical data
- Design verification as per IEC/EN 61439
- Technical data ETIM 7.0

Delivery program

Product range

Accessories

Accessories

Withdraw able units

Accessories

Position signalling switches

One changeover contact each for the Disconnected, Test, and Connected positions. for fitting to left or right

For use with

IZMX-CAS40...

Instructions

The retrofit kit includes the required SEC control cable terminals.

Installation type

Withdraw able

Technical data

Rated breaking capacity

Inductive load250 V AC

10 A

Inductive load125 V DC

0.5 A

Inductive load250 V DC

0.25 A

Design verification as per IEC/EN 61439

Operating ambient temperature min.

-25 °C

Operating ambient temperature max.

+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Auxiliary contact block (EC000041)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Auxiliary switch block (ec1@ss10.0.1-27-37-13-02 [AKN342013])

Number of contacts as change-over contact

1

Number of contacts as normally open contact

2

Number of contacts as normally closed contact

2

Number of fault-signal switches

Rated operation current I_e at AC-15, 230 V

10 A

Type of electric connection

Flat plug-in connection

Model

Integrable

Mounting method

Floor fastening

Lamp holder

Product photo



1230PIC-951

Photo

3D drawing



1230DRW-1039

Line drawing

CAD data

edz files

- [DA-CE-ETN.IZMX-CS40-1](#)
File
(Web)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

