

Select your language

- German
- English
- Spanish
- French
- Dutch
- Italian
- Polish
- Czech
- Russian
- Norwegian Bokmål

Worldwide English




IZMX-FLPC40-M-OFF-1 - Locking device ON-OFF, metal, OFF



184230 IZMX-FLPC40-M-OFF-1

[Overview](#) [Specifications](#) [Resources](#)



184230 IZMX-PLPC40-M-OFF-1

Locking device ON-OFF, metal, OFF

Alternate Catalog No.

67C3029G12

EL-Nummer (Norway)

4398573

Accessories, Locking ON/OFF buttons, The circuit-breaker's ON/OFF buttons can be locked together by using the interlock. It is also possible to lock only the ON or the OFF button by using a padlock. This means that it will no longer be possible to actuate the circuit-breaker locally. If the OFF button is interlocked, it will be continuously actuated. This means that it will not be possible to use remote switching if optional remote switching with an ON/OFF coil is being used. M = Metal, Material Metall, For use with IZMX40..., INX40..., ON-OFF, Metal, OFF

- [Delivery program](#)
- [Design verification as per IEC/EN 61439](#)
- [Technical data ETIM 7.0](#)

Delivery program

Product range

Accessories

Accessories

Interlocks

Accessories

Locking ON/OFF buttons

The circuit-breaker's ON/OFF buttons can be locked together by using the interlock. It is also possible to lock only the ON or the OFF button by using a padlock.

This means that it will no longer be possible to actuate the circuit-breaker locally.

If the OFF button is interlocked, it will be continuously actuated.

This means that it will not be possible to use remote switching if optional remote switching with an ON/OFF coil is being used.

M = Metal

Material

Metall

For use with

IZMX40...

INX40...

ON-OFF

Metal

OFF

Design verification as per IEC/EN 61439

Operating ambient temperature min.

-25 °C

Operating ambient temperature max.

+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Accessories for low-voltage switch technology (EC002498)
Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Component for low-voltage switch technology (accessories) (ecl@ss10.0.1-27-37-13-92 [AKN570013])
Type of accessory
Mechanical locking


Product photo



1230PIC-976

Photo

3D drawing



1230DRW-1030

Line drawing

CAD data


edz files

- [DA-CE-ETN.IZMX-FLPC40-M-OFF-1](#)
File
(Web)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center

 [Generate data sheet in PDF format](#)

 [Generate data sheet in Excel format](#)

 [Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH