

AUXILIARY SWITCH, 2 NC CONTACTS,
CONNECTION AUXILIARY CIRCUIT: SCREW
TERMINAL,



General technical data:		
product brandname		SIRIUS
Product designation		auxiliary switch compact feeder
Protection class IP		IP20
Relative humidity during operation	%	10 ... 90
Ambient temperature		
• during transport	°C	-55 ... +80
• during storage	°C	-55 ... +80
• during operation	°C	-20 ... +60
Equipment marking acc. to DIN EN 61346-2		K
Equipment marking acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750		K

Auxiliary circuit:		
Number of NC contacts for auxiliary contacts		2
Number of NO contacts for auxiliary contacts		0

Installation/ mounting/ dimensions:		
Width	mm	45
Height	mm	32

Depth	mm	25
-------	----	----

Connections/ Terminals:

Wire stripping length	mm	10
Type of electrical connection		screw-type terminals
<ul style="list-style-type: none"> • for auxiliary and control current circuit 		
Design of screw-type connection for auxiliary contacts		M6
Tightening torque for auxiliary contacts with screw-type terminals	N·m	0.8 ... 1.2
Type of connectable conductor cross-sections for auxiliary contacts		max. 2x (1 ... 4 mm ²)
<ul style="list-style-type: none"> • solid • finely stranded — with core end processing 		2x (0.5 ... 1.5 mm ²), 2x (0.75 ... 2.5 mm ²)
Type of connectable conductor cross-sections at AWG conductors for auxiliary contacts		2x (20 ... 16), 2x (18 ... 14), 1x 12

Certificates/ approvals:

Certificate of suitability	IEC / EN 60947-6-2
----------------------------	--------------------

General Product Approval	EMC	Functional Safety/Safety of Machinery	Declaration of Conformity
--------------------------	-----	---------------------------------------	---------------------------



Shipping Approval

<p>BUREAU VERITAS</p>	<p>DNV</p>	<p>PRS</p>	<p>RINA</p>	<p>RMRS</p>	Environmental Confirmations
-----------------------	------------	------------	-------------	-------------	---

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)
<http://www.siemens.com/industrymall>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA6912-1A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA6912-1A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA6912-1A&lang=en



last modified:

07/01/2017